JAPAN (ALMOST..) THE LAST STRAW?

This is a small report from a special trip in 2010 to see three (of four wanted) missing species in Japan together with some birding to see species which I did not see often.



Japanese Murrelet, the only I saw but within the minute of arriving at Kadogawa **Itinerary**

- 26-02 Departed from Amsterdam to Tokyo.
- 27-02 Arrived at Narita airport where Tom Kompier picked me up. Drove to Yokohama, Maioka-koen Park, to "twitch" a wintering Solitary Snipe which I found on the net in January. After that drove to the mountains to a place called Stained Glass to be in time for the feeders hanging outside in the morning.
- 28-02 Birded around the feeders at the Stained Glass, later on tried for Copper Pheasant with no luck near the house. Around noon drove to Karuizawa and birded around the main stream in the late afternoon.
- 01-03 Birded at Karuizawa and after finding the pheasant drove to Tomonegawa for some late afternoon birding, later on drove to Tokyo and slept at Tom's place.
- 02-03 Birded from early morning at Chosi for gulls and drove to Tokio via Inbanuma around noon. In the afternoon Tom had to work so I visited Oueno park in Tokyo.
- 03-03 Flew to Miyazaki in the early morning and drove (by myself) to Kadogawa Harbour for the Murrelet (found in one minute!), looked prolonged at the birds and drove back and spend the night at Miyazaki, having a Japanese stile bath and drink.
- 04-03 Drove in the early morning via Ebino to Arasaki and birded there until 15.00 hours (at first the weather was very bad), later on drove to Miike and spend the night at the for me known Minshuku.
- 05-03 Birded at Miike in the morning and by midday drove back to Miyazaki where I birded near the harbor to kill some time later on I took the plane back to Tokyo in the evening and slept at Tom's place
- 06-03 Early morning birding at San Banse and later on Choshi (Tom love's gulls..) and drove back to Tokyo late afternoon to go on the ferry to Hachijyo Jima

- 07-03 Birding from the ferry on the way up and back to Tokyo in very ruff weather and sea (7+ meter waves).
- 08-03 Flew back to Amsterdam

Legenda:

 $\frac{AAAA}{AAA} = New (Holarctic) Species (3)$ AAAA = Good bird species

The Bird list

001 CHINESE BAMBOO PARTRIDGE - bambusicola thoracicus

Heard at Honschu several times, two seen flying over the road at Kyushu driving to Arasaki. This is most likely an introduced species.

*002 COPPER PHEASANT – SYRMATICUS SOEMMERINGII ssp: scintillans

01-03 2 birds, a pair at Karuizawa great views, feeding and even walking along with us (mainly the female proved to be very confident). The female called and the male responded by wing flapping. Some tail feathers of the male where damaged. The best view of the male was standing and looking down at us from the hillside, what a bird after so many misses



The pair of these masters of the Japanese forest, the female is taken without a scope..

003 BLACK BRENT - branta nigrigans

06-03 1 immature, seen very close a shore at San Banse, not easy in Japan.

004 COMMON SHELDUCK – tadorna tadorna

A total of 7 birds at Arasaki at the feeding station of the cranes.

005 MANDERIN DUCK – aix galericulata

04-03 70 birds in one flock at a little pond along the 447 just outside Okuchi.



A nice wintering flock

006 GADWALL – anas strepera A total of 6 birds seen on Honshu and Kyushu. **007 FALCATED DUCK – anas falcata** 02-03 10 ex at Inbanuma 04-03 2 ex. a pair in the river at Arasaki. 008 EURASIAN WIGEON - anas Penelope Common on both islands in large wintering flocks but also in small city parks like Oueno. ---- EURASIAN WIGEON X AMERICAN WIGEON – anas penelope x americana 06-03 1 male in a flock of Wigeon along the way from San Banse. The bird showed intermediate characters. 009 MALLARD - anas platyrhynchos Common at most suitable places. 010 EASTERN SPOT-BILLED DUCK - anas zonohyncha Common at most suitable places 011 NORTHERN SHOVELER - anas clypeata Quite Common at most suitable places 012 NORTHERN PINTAIL – anas acuta Quite Common at most suitable places, sometimes very confiding in Tokyo itself. 013 BAIKAL TEAL – anas Formosa 04-03 1 immature (?) male in a flock of Eurasian Wigeon at a little pond along the 447 just outside Okuchi.

The bird had only one and a half elongated scapular.



Look at the scapulars, indicating a Young bird?

014 EURASIAN TEAL – anas crecca

Common at Kyushu, mainly at Arasaki.

015 COMMON POCHARD – aythya farina

02-03 2 ex seen Oueno park

016 TUTED DUCK – aythya fuligula

About a 100 birds at Honshu and a further 10 on Kyushu.

017 GREATER SCAUP – aythya marila

The most commonest duck at sea in big rafts.

018 HARLEQUIN DUCK – histrionicus histrionicus

A big flock of about 60 birds was present at Chosi Harbour, with a lot of males

06-03 1 female at San Banse.

019 BLACK SCOTER – melanitta Americana

02-03 4 males, at Chosi, hiding for the rough weather

<u>020 BUFFLEHEAD – bucephala albeola</u>

06-03 1 immature male (breeding plumage looked to be coming through at the head) at San Banse. The bird was often diving with the Goldeneye's. Since there is no rarities committee in Japan I do not know how many records there are. It had been present for some time and was a new bird for Japan for Tom.

021 COMMON GOLDENEYE – bucephala clangula

06-03 50 ex. at San Banse.

022 SMEW – mergellus albellus

02-03 2 ex. at Inbanuma.

023 RED-BREASTED MERGANSER - mergus serrator

06-03 15 ex. at San Banse.

---- DIVER SPEC – gavia spec.

A total of 7 birds seen at both visits at Chosi, only quite far in flight and briefly swimming. They looked the most like Black-Throated Divers, gavial arctica.

024 LAYSAN ALBATROSS - phoebastria immutabilis

07-03 100 ex during the ferry pelagic to and mainly from Hachijyo Jima to Tokyo.

025 BLACK-FOOTED ALBATROSS – phoebastria nigripes

07-03 30 ex. during the ferry pelagic to and mainly from Hachijyo Jima to Tokyo. Nice views, often with hooked wings and rather small making them even at range identifiable from Short-tailed.

026 SHORT-TAILED ALBATROSS – phoebastria albatrus

07-03 11 ex!! (I missed one) during the ferry pelagic to and mainly from Hachijyo Jima to Tokyo.

Two adult birds, very nice views including the yellow and the rather open face, four all dark immature birds (at a distance the light belly and throat, with the rather big appearance strait wings and pinkish bill are a good ID mark) and five sub adult birds, one sub adult was very close to the boat and flying along. A great opportunity to see these species again after my firs encounter at the Bering Sea neat Attu.

027 NORTHERN FULMAR - fulmarus glacialis ssp: rodgersii

07-03 5 dark birds on the ferry pelagic. Maybe the quite cold winter storms brought them more south than usual. **028 STREAKED SHEARWATER – calonectris leucomelas**

07-03 Very common during the ferry pelagic to and mainly from Hachijyo Jima to Tokyo, maybe thousands seen.

029 TRISTRAM'S STORMPETREL – oceanodroma tristrami

07-03 600 ex. during the ferry pelagic to and mainly from Hachijyo Jima to Tokyo. This is a normal species (winter breeder) but for me the best views after the poor ones a few years ago. Only at close birds the grey upperwing bar was visible. Rather long winged when flying along the boat, all dark chocolate brown storm petrel. Nice views.

030 FORK-TAILED STORM PETREL – oceanodroma furcata

02-03 1 ex. close in the harbor of Chosi. Very nice scope views when the bird was flying along a dam in the harbor. This was another unexpected species due to a storm earlier in the week.

031 LITTLE GREBE – tachybaptus ruficollis

Quite common on Honshu, less common on Kyushu (2 birds)

032 RED-NECKED GREBE – podiceps grisegena ssp: holboellii

A total of 3 birds seen on both visits to Chosi. Big birds.

033 GREAT CRESTED GREBE - podiceps cristatus

A total of 10 birds at Honshu mainly at Inbanuma.

034 SLAVONIAN GREBE – podiceps auritus

2 birds seen on both visits to Chosi, both in winter plumage.

035 BLACK-NECKED GREBE – podiceps nigricollis

A total of 50 birds seen in some tight flocks at both visits at Chosi harbor, many birds coming into summer plumage.

036 EURASIAN SPOONBILL – platalea leucorodia

04-03 3 birds at Arasaki in one flock.

037 BLACK-FACED SPOONBILL – platalea minor

04-03 1 adult in breeding plumage with the yellow naked skin at the lore at Arasaki.

038 EURASIAN BITTERN – botauris stellaris

02-03 1 heard at Inbanuma very clearly calling.

039 BLACK-CROWNED NIGHT HERON – nycticorax nycticorax

02-03 5 ex. in the reeds at Oueno park in central Tokyo.

040 GREY HERON - ardea cinerea

Commonly seen during the trip in small flocks.

041 GREAT WHITE EGRET – casmerodius albus

Common on both island.

042 LITTLE EGRET – egretta garzetta

Seen in small numbers at both islands, also in the center of Tokyo (Oueno park) where birds coming in to roost (about 10)

043 PACIFIC REEF EGRET -egretta sacra

02-03 1 ex. at Chosi harbour

05-03 1 ex. at a scrape near Myazaki.

----- GREAT WHITE PELICAN - pelecanus onocrotalus

02-03 1 adult sitting on a boat at Inbanuma. This bird is present for years and I saw it also in summer 2007, maybe an escape.

044 GREAT CORMORANT - phalacrocorax carbo

Common at most visited places.

045 TEMMINK'S CORMORANT - phalacrocorax capillatus

A total of 5 birds seen at Chosi harbour. Easy recognisable by the large white area at the throat. Still in winter plumage.

Still III willer plullage.

046 PELAGIC CORMORANT – phalacrocorax pelagicus

Quite common around Chosi harbour.

047 EURASIAN KESTREL – falco tinnunclus

04-03 1 ex. near Arasaki.

048 MERLIN- falco columabarius ssp: insignis

01-03 4 ex, two at a roost and two hunting in the fields at Tomonegawa. Quite pale birds.

049 PERIGRINE - falco peregrinus

A total of 3 birds seen, two at Honshu (of which a nice adult at Chosi) and one at the airport of Miyazaki.

050 OSPREY – pandion haliatus

2 birds seen at Honshu of which on the ferry pelagic. Common at Kyushu along the rivers.

051 BLACK-EARED KITE - milvus lineatus

Common al over Japan.

052 EASTERN MARSH HARRIER – circus spilonotus
01-03 25 ex. at a roost at Tomonegawa, some very nice males with them.
053 HEN HARRIER – circus cyaneus
01-03 3 ex. one male coming into roost at Tomonegawa.
054 NORTHERN GOSHAWK – accipiter gentillis
01-03 1 ex. coming down from Karuizawa.
055 EASTERN BUZZARD – buteo (buteo) japonicus

Common on Honshu.

056 ROUGH-LEGGED BUZZARD - buteo lagopus

01-03 1 ex. flying and later on sitting at the raptor roost at Tomonegawa. Very nice views of this quite pale bird. **057 EASTERN WATER RAIL – rallus indicus**

Many heard in the evening at Tomonegawa.

058 COMMON COOT – fuliga atra

Common on most visited sites.

059 COMMON MOORHEN – gallinule chloropus

05-03 2 ex. at Miyazaki.

<u>060 SANDHILL CRANE – grus canadensis</u>

04-03 3 ex. seen well in the big flock of cranes close to the observatory.

061WHITE NAPED CRANE – grus vipio 04-03 1.100 ex. (official count) seen spread over the area at Arasaki. Very nice views. 062 COMMON CRANE - grus grus 04-03 1 ad. Ex, with the Hooded Crane's 063 HOODED CRANE - grus monacha 04-03 9.600 ex. seen well around Arasaki, in big flocks. Impressive. ---- HYBIRD HOODED X COMMON CRANE - grus monacha x grus 04-03 3 ex. seen in families Hooded Crane, all birds showed intermediate characters. 064 EURASIAN OYSTERCATCHER - haematopus ostralegus ssp: osculans 06-03 60 ex. in one flock at San Banse. Looked very similar as ours, what is the fuzz about? 065 BLACK-WINGED STILT – himantopus himantopus 06-03 3 ex. at a little marsh along the way. 066 NORTHERN LAPWING - vanellus vanellus 01-03 50 ex. in one flock at Tomonegawa. 067 GREY PLOVER - pluvialis squatarola Seen along the coast in small numbers all in winter plumage. 068 LITTLE RINGED PLOVER - charadrius dubius 04-03 1 ex. at Arasaki in a rice field 069 KENTISH PLOVER - charadrius alexandrinus 05-03 20 ex. at a scrape at Miyazaki 06-03 20 ex. at San Banse. *070 SOLITARY SNIPE – GALLINAGO SOLITARIA ssp: japonica

27-02 1 ex at Yokohama, Maioka-koen Park (see Photo) very nice views. 28-02 1 ex at Karuizawa, standing in the stream and scope viewable from the road Bothe birds where easy identifiable, big, with a strong dark lore, obvious red tail and both where constantly "bobbing" there body, leaving the head completely still.



What a snipe!, twitched after found on the net in January, photo by Koji Tagi.

071 COMMON SNIPE – gallinago gallinago

A total of 10 birds seen in the rice fields at Honshu. Common at Kyushu.

072 LONG-BILLED DOWITCHER – limnodromus scolopaceus

01-03 1 ex in winter plumage in a flock of Northern Lapwings at Tomonegawa in a field. Not so unexpected as thought before since small numbers winter in Japan.

073 EURASIAN CURLEW – numenius arquata

06-03 3 ex. at San Banse

074 COMMON SANDPIPER – actitis hypoleucos

02-03 1 ex. In the harbour of Chosi

075 RUDDY TURNSTONE - arenaria interpres

02-03 5 birds flying over at Chosi harbour.

076 SANDERLING – calidris alba

2 birds seen at San Banse and one near Myazaki. In winter plumage.

077 TEMMINCK'S STINT – calidris temminckii

04-03 1 ex. in winter plumage at a little pool in a rice field in front of the visitors centre.

078 LONG-TOED STINT – calidris subminuta

04-03 1 ex. In first winter plumage at a little pool in a rice field in front of the visitors centre.

079 DUNLIN – calidris alpine ssp: *sakhalina*

Quite common on both coasts, the commonest wader.

<u>080 RUFF – philomachus pugnax</u>

01-03 2 ex, one adult female and an immature bird in a flock of Northern lapwings at Tomonegawa. This is a rare species in Japan in winter.

081 BLACK-TAILED GULL - larus crassirostris

The by far most common gull with impressive numbers at Chosi and other sites

082 KAMCHATKA GULL – larus (canus) kamtschatschensis

Common at Chosi and along coastal sites, maybe the four most common gull.

083 GLOUCOUS-WINGED GULL – larus glaucescens

About 35 seen in various plumages at Chosi.

084GLAUCOUS GULL – larus hyperboreus

About 40 birds seen mostly immatures but some adults at Chosi

084 THAYER'S GULL - larus thayeri

02-03 7 ex, of which one adult bird seen at Chosi

06-03 7 ex. of which three different adults at Chosi.

Very knowledgeable and confusing sometimes. The adults where quite easy with the white underwing tips and (thin blackish) upperwingtips. One adult was still in winter plumage with a brown heavily winter head.



Thayer's second year bird.



Thayer's adult bird (looking away) look at the size (small) compared with the small Black Tailed Gulls



Thayer's second year bird





3 "Thayerish" Gulls, birds whe had problems with and are not included in the total of certain birds. Comments are welcomed. See also: <u>http://www23.tok2.com/home/jgull/0_jyouhou/jyouhou.html</u>

086 VEGA GULL – larus vegae

Common most at Chosi but at many visited places along the coast.

087 MONGOLIAN GULL - larus mongolicus

06-03 1 first winter seen at Chosi. Difficult bur the ID was based on the structure (like taymirensis), and the rather frosty first winter/summer plumage compared to immature taymirensis

088 SLATY-BACKED GULL - larus schistisagus

Common in many plumages at Chosi

089 HEUGLIN'S GULL - larus heuglini ssp: taimyrensis

About 5 seen (one first winter) at Chosi

-- HYBRID VEGA X GLAUCOUS GULL – hybrid larus vegae x hyperboreus 06-03 1 adult tentatively identified as this at Chosi.



Hybrid Gull? Comments are welcome.
090 BLACK-HEADED GULL – chroicocephalus ridibundus
Common mostly at Chosi.
091SAUNDER'S GULL – saundersilarus saundersi
06-03 2 adult summer birds on the scrape at San Banse. Cracking views.
092 BLACK-LEGGED KITTIWAKE – rissa tridactyla
A total of 25 birds during the two visits at Chosi

093 POMARINE SKUA – stercorarius pomarinus

07-03 1 ex with a raft of Streaked Shearwaters during the ferry pelagic.

094 ANCIENT MURRELET – synthliborampus antiques

07-03 1 ex. seen flying of the sea during the ferry pelagic. The white line behind the eye was visible, not pronounced like in Japanese.

*095 JAPANESE MURRELET – SYNTHLIBORAMPUS WUMIZUSUME

03-03 2 birds a pair seen very well at Kadogawa harbour. The birds where feeding (staying under for long times) inside and later on outside the harbour. Also seen wing flapping. The upper breast was black, strongly demarcated from the white belly and under breast seen while flapping with the breast towards me.



The last alcid, only these two seen during a few hours stay.

096 ORIENTAL TURTLE DOVE - streptopelia orientalis ssp: orientalis Common on most visited places. Whitish trailing edge of the tail. 097 WHITE-BELLIED GREEN PIGEON – treron sieboldii 05-03 Heard calling in the early morning. Not seen but I saw them on a former trip. **098 PACFIC SWIFT – apus pacificus** 04-03 2 ex. flying for the observatory at Arasaki. White lobs on the underpart feathers where seen. 099 COMMON KINGFISHER - alcedo atthis A total of 2 seen on both islands when crossing a stream. 100 CRESTED KINGFISHER – megaceryle lugubris 04-03 1 ex in the evening sitting in a tree at a little pond along the 447 just outside Okuchi. Always a difficult bird to find in Japan. 101 JAPANESE PYGMY WOODPECKER – yungipicus kizuki Common, often heard, also in the centre of Tokyo. 102 WHITE-BACKED WOODPECKER - dendrocopos leucotos 05-03 1 ex. at a nest on the campground of Miike. 103 GREAT SPOTTED WOODPECKER - dendrocopos major A total of 5 birds seen at various places on Honshu. 104 JAPANESE GREEN WOODPECKER – picus awokera 05-03 1 ex. seen very well at the upper parking place at Miike (near the temple), feeding close on the ground. **105 RYUKU MINIVET – pericrocotus tegimae** 05-03 Seen and hear at Miike and one at the coastal site at Myazaki **106 BULL-HEADED SHRIKE – lanius bucephalus** Seen daily at both islands, also already high up in the forest (Karuizawa) **107 EURASIAN JAY – garrulus glandarius** A total of 3 seen at Honshu and 2 seen (one very nice perched in front of me) at Miike. 108 EASTERN ROOK - corvus frugilegus ssp: pastinator Quite common in big flocks at Arasaki. 109 CARRION CROW - corvus corone ssp: orientalis Seen in small numbers on Honshu. 110 LARGE-BILLED CROW - corvus macrorhynchos Common everywhere also in Tokyo city.

111 JAPANESE WAXWING – bombycilla japonica

28-02+01-03 a flock of 18 birds seen at Karuizawa in the mistletoe in the forest.

Nice views in the scoop and all the details seen. Ironic to find this quite difficult species again (my third observation) instead of Pallas's Rosefinch which was not in Japan this winter and I missed several times. 112 EASTERN GREAT TIT (JAPANESE TIT) – parus (major) Common on both islands. 113 VARIED TIT - poecile varius A total of 15 ex. seen on both islands. Nice views. 114 WILLOW TIT – poecile montanus ssp: baicalensis 28-02 a total of 5 birds seen on the feeders at Stained glass 115 BARN SWALLOW - hirundo rustica Common along the east coast of Kyushu. **116 LONG-TAILED TIT – aegithalos caudatus** Seen in small numbers on both island, looking "normal" not white headed. 117 JAPANESE SKYLARK - alauda (arvensis) japonica Small numbers seen in the rice fields of Tomonegawa and Arasaki. 118 BROWN-EARED BULBUL - microscelis amaurotis Very common all over the visited places. 119 MARSH GRASSBIRD - megalurus pryeri ssp: pryeri 01-03 10 ex. mostly heard but one seen at Tomonegawa, low calling from the reed beds in the evening. 120 JAPANESE BUSH WARBLER - cettia diphone Common on both islands, often singing and producing the "Japan sound". **121 JAPANESE WHITE-EYE – zosterops japonicus** Common throughout the trip, also in the centre of Tokyo. 122 WINTER WREN - troglodytes troglodytes ssp: fumigatus Small numbers seen on Honshu, nice dark birds. 123 EURASIAN NUTHATCH - sitta europaea Seen and heard on Honshu (Karuizawa) and Kyushu (Miike) 124 WHITE-CHEEKED STARLING - sturnus cineraceus Common on Honshu and Kyushu in big flocks. 125 PALE THRUSH - turdus pallidus Quite common, mainly on Kyushu, seen mostly under bushes, quite shy. 126 BROWN-HEADED THRUSH - turdus chrysolaus A total of 5 birds seen in total on Honshu the most in Maioka-koen Park. 127 DUSKY THRUSH - turdus eunomus Common on Honshu and Kyushu, the Blackbird of Japan (in winter) 128 NORTHERN RED-FLANKED BLUETAIL – luscinia cyanura A total of 4 birds (one almost adult male) seen at Karuizawa. **129 DAURIAN REDSTART – phoenicurus auroreus** A total of 2 seen on Honshu, quite common on Kyushu. 130 BROWN DIPPER – cinclus pallasii A total of 3 birds at Karuizawa 131 EURASIAN TREE SPARROW – passer montanus Common throughout the trip. **132 JAPANESE ACCENTOR – prunella rubida** 01-03 1 ex. seen very well coming down from Karuizawa at a clearing. Nicely seen with the warm brown head (cap) and brown back flank. 133 WHITE WAGTAIL - motacilla alba ssp: lugens + leucopsis Lugens common on Honshu and Leucopsis, 2 seen on Kyushu (one at Miike) 134 JAPANESE WAGTAIL – motacilla grandis 01-03 2 birds seen along the way coming down from Karuizawa, one male singing from a wire. 135 RICHARD'S PIPIT - anthus richardi 04-03 2 ex. in the fields of Arasaki, nice views. 136 OLIVE-BACKED PIPIT - anthus hodgsoni 05-03 7 ex. at Miike's campground. 137 BUFF-BELLIED PIPIT – anthus (rubescens) japonicus Common in the rice fields mainly at Tomonegawa and Arasaki. Often the Meadow Pipit call heard. 138 BRAMBLING – fringilla montifringilla 28-02 200 ex. at the feeding tables at Stained Glass. Some where coming into summer plumage.

139 ORIENTAL GREENFINCH - carduelis sinica ssp: kawarahiba

Common on both islands in small flocks, the birds mainly the males appeared quite dark on the underparts. **140 ASIAN ROSY FINCH – leucosticte arctoa**

28-02 a total of 70 birds at the feeding table of Stained Glass. They came down because of the snow.

141LONG-TAILED ROSEFINCH – uragus sibiricus

A total of 5 birds with some cracking males at Karuizawa

142 EURASIAN BULLFINCH – pyrrhula pyrrhula ssp: griseiventris

28-02 3 birds on the feeders of Stained Glass. Some birds head a little pink on the grey breast.

143 HAWFINCH - coccothraustes coccothraustes ssp: japonicus

28-02 50 birds on the feeders at Stained Glass, lighter and a more plain face then ours.

144 JAPANESE GROSBEAK – eophona personata

28-02 200 ex. on the feeders of Stained Glass

05-03 25 in one flock in the early morning at the parking place at Miike, singing.

145 MEADOW BUNTING – emberiza leucocephalos

The most common bunting, with small numbers in the hills and large flocks in the rice fields It was after practice possible to ID buntings on there tick call.

146 CHESNUT-EARED BUNTING – emberiza fucata

01-03 10 ex. in small flocks of two and three in the rice fields of Tomonegawa.

04-03 15 ex. in the fields of Arasaki.

Nice big bunting.

147 RUSTIC BUNTING - emberiza rustica

28-02 1 ex. on the feeding tables of Stained Glass

01-03 Common in big flocks in the rice fields of Tomonegawa.

148 ELEGANT BUNTING – emberiza elegans

28-02 1 female while searching for pheasants near Stained Glass

05-03 2 ex., one male briefly and one female seen very well at Miike.

149 BLACK-FACED BUNTING - emberiza spodocephala ssp: personata

A total of 5 seen at Honshu mainly solitary birds in wet scrubby areas.

Common on Kyushu in similar habitat, often very nice yellow males.

150 GREY BUNTING - emberiza variabilis

05-03 2 birds one male (in flight) and one female (nice views) together at Miike. The birds like the hillsides just away from the lake shore.

151 COMMON REED BUNTING - emberiza schoeniclus ssp: pyrrhulina

Common at Honshu (Tomonegawa) and Kyushu (Arasaki).
