TRAVELREPORT

Uganda from an Holarctic perspective

20-01 t/m 31-01-2012




African Skimmers 22-01-2012, Queen Elisabeth NP.

Max Berlijn Wilhelminastraat 9 6285 AS Epen (LB) Nederland **m.berlijn@mandema.nl**

ITENERARY

- **Fri 20-01:** Flew from Amsterdam via Kigali to Entebbe and arrived in the late evening and was picked up by Alfred and the team (Judge (driver) and Finney (intern)).
- Sat 21-01: Birded in the early morning at Mabamba Swamp later on birded while driving from Entebbe via Kaku swamp to Queen Elisabeth NP (QENP).
- Sun 22-01: Birded at QENP all day including a boat trip..
- Mon 23-01: Birded while driving from QENP to Muchison Falls (MF), arriving in the evening around 20.00 hour.
- **Thue 24-01**: Birded all day at Muchison Falls including a boat trip and slept on the other side of the river Nile as the day before
- Wed 25-01: Drove with birding stops (very little) from MF to Kidepo, arriving around 20.00 hours and slept in the very and to pooch Apoka Lodge.
- **Thur 26-01**: Birding al day at Kidepo NP.
- **Fri 27-01**: Birding in the morning at Kidepo and later on drove to Moroto with a broken engine (water pump) in the afternoon.
- Sat 28-01:. Birded with local Shirley in the early morning behind Moroto and later on drove with birding stops to MT Elgon and birded there in the evening.
- Sun 29-01: Drove from MT Elgon with birding stops to Entebbe.
- Mon 30-01: Birded at two swamps near Entebbe and did two boat trips. In the evening flew from Entebbe to Amsterdam
- Thue 31-01: Arriving in the early morning in Amsterdam.



Map of the visited area's during the trip.

Legenda:

<u>*AAAA</u> = New Holarctic Species (22) (New life species not marked because they are to many.) <u>AAAAA</u> = Good species for the trip or for me

The list order is conform Palaearctic Birds by Beaman with the recent changes on the splitting and lumping issue mainly based on publications in the "important magazines". Subspecies is only mentioned when thought to be important and really visible in the field. The totals of birds per species are just a total of the birds I saw to give an idea how many of a species you encounter during a trip. Only species seen are mentioned. A total of .. species was seen by myself

The weather was constantly warm with during the days 30 C, almost no wind and no rain.

Useful links: <u>http://www.africanaffinity.com/index.html</u> (bird ringing Africa) <u>http://www.avianwatchuganda.co.ug/index.php</u> <u>http://www.ineziatours.nl/soort-reis/maatwerk/vogelreis_oeganda</u>

THE BIRDSPECIES



Allen's Gallinule on a small pond at Kidepo was a surprise at this site (and not in focus because of the heat haze)



Diederik Cuckoo more heard than seen

Wattled Starling at Kidepo



Golden-breasted Bunting by Alfred Twinomujuni.

Gambaga Flycatcher, thanks to my guide one bird at M.P.



Spotted Eagle The first for the country..



Ostrich, the right subspecies as a former breeder of the holarctic



Pied Wheatear a winter bird at Apoka lodge, Kidepo

The surprise of the trip, this former breeder of Egypt(ian Plover)



Plain Nightjar, not easy to ID in winter, but Malcolm helped a lot.



Caspian Plovers where a nice find at M.P. two birds where coming into summer plumage



Shoebill near Entebbe, a wonder that this species still is walking around on this earth.....

| Schemen Darch, Biology analysis Control freedom Point drade Control (1): Drade Cont | English Name | Scientific name | | Status Holarctic |
|--|----------------------------|-------------------------|---|--------------------------|
| Advance Endodorphic lock Endododorphic lock Endodorphic lock | *Common Ostrich | Struthio camelus | 25-01 20 ex. seen very well at Kidepo, two nice males in breeding plumage (pink legs). | |
| Cont Dock Society in general parts after some and marked making mak | | | The commonest duck recorded also immature birds, with up to 50 birds a day. | |
| Excelor Accords ansolution Accords ansolution Accords ansolution Accords ansolution Section Mode Accords ansolution Accords ansolution Accords ansolution Accords ansolution Accords ansolution Accords and Section Accords ansolution Accords and accords accor | | | | |
| Spart encode Coord Precision analysis Applied page services in a conditional services in a condit services in a condi | | | | |
| Taking biols fuskNeu outsideNeu outsideNeu outsideSector booksProduction functionCompany in the Same and an end and Same and an end and any antimulation outsideSector booksProductionProduction for subaryCompany in the Same and any antimulation outsideSector booksProductionProduction for subarySector booksSector booksProductionProduction fo | | | | |
| Expertical Test Anal. Experience Section 2 Control Test Control Test Control Test Provide a test control Test Provide a test control Test Control Test Control Test Control Test Provide a test control Test Provide a test control Test Control Test Control Test Control Test Provide a test control Test Provide a test control Test Control Test Control Test Control Test Provide a test control Test Provide a test control Test Control Test Control Test Control Test Provide a test control Test Provide a test control Test Control Test Control Test Control Test Provide a test control Test Provide a test control Test Control Test Control Test Control Test Provide a test Provide a test Control Test Control Test Provide a test Provide a test Provide a test Control Test Control Test Provide a test Provide a test Provide a test Control Test Provide a test Provide a test Provide a test Provide a test Control Test <td></td> <td></td> <td></td> <td></td> | | | | |
| Interface Number methods Number methods State base of methods Number methods Numbe | | | | |
| General Francish Dandoperiodic deplaces Control in the lodge pair plan. International Plant Pl | | | Common in the "savanna" area's in small flocks. Finally my first wild ones after many introduced. | Rare breeder Yemen |
| Red Noted Sparland Facebook Sp | Crested Francolin | Dendroperdix sephaena | Common in the Kidepo area. | |
| Great White Felcan Pelcanan conceptual 2211 for in m how of Phintsbells at GRIP State State Phintsbells Phintsbells at GRIP Phintsbells at GRIP State State Phintsbells Phintsbells at GRIP Phintsbells at GRIP State State Phintsbells Phintsbells at GRIP Phintsbells Freed Computer Phintsbells Phintsbells Phintsbells Computer Phintsbells Phintsbells Phintsbells Computer Phintsbells Phintsbells Phintsbells Computer Phintsbells Phintsbells Phintsbells Computer Adde andbells Phintsbells Phintsbells Computer Adde andbells Phintsbells Phintsbells Phintsbells Computer Adde andbells Phintsbells | | | Quite common in the Kidepo area, nice views. | |
| Firsk Acade Perican Pericana on descens Actual of Zeen Armys the site, many actoche base also mension actual the site of the site | | | | |
| Cited Concrust Phalescoord | | | 22-01 1 ex. in a flock of Pink-backed at QENP | |
| Reed Convocat Physics corces afficianus Cammony seem on most days, often hose burds in breeding patients block Sector Convolutionum Address and an expension Sector burds Secto | | | | |
| African Durier Advisorit Setting 24 and 2601, no boh days 20 kerk in ited in average and over vieted. Execution Dear Hassim Advisorit Style 1 kerk in the setting 20 kerk in the property of t | | Phalacrocorax africanus | | |
| Devel Bistern Login choose sturint 21:01 1 see, fining at loku, seenge, a small all but gare (on the upper the integration with yearback but yearback) Republic variant Column Action print Acti | | Anhinga rufa | | |
| Grey Hear Action according Action of the two, some all number was all on in two members. Also in dry hadras Image: Control of the two, some all numbers. Also in dry hadras Veryle Heard Action all numbers. Also in dry hadras Image: Control of the two, some all numbers. Also in dry hadras Image: Control of the two, some all numbers. Also in dry hadras Veryle Heard Action of S sets presed on the trans. mains dram and work the trans. mains dram and the two. Image: Control of the two, some all numbers. Also in dry hadras Veryle Heard Control of S sets presed on the trans. mains dram and the two. Image: Control of the two, some all numbers. Also in dry hadras Veryle Heard Control of S sets presed on the trans. mains dram and the two. Image: Control of the two, some all numbers. Also in dry hadras Veryle Heard Control of S sets presed on the trans. mains dram and the type. Image: Control of S sets presed on the trans. mains dram and the type. Veryle Heard Control of S sets presed on the trans. mains dram and trans. Image: Control of S sets presed on the trans. mains dram and trans. Veryle Heard Action a main and trans and trans. Teach and trans. Image: Control of S sets presed on the trans. Veryle Heard Action a main and trans. Control of S sets presed on the trans. Image: Control of S sets presed on trans. Ver | | Ixobrychus sturmii | 21-01 1 ex. flying at Kaku swamp, a small all blue grey (on the upperparts) heron with yellowish belly with streaks | Regular vagrant |
| Goldshi Heron Actes population Actes of \$7 seems in the value of sems in the value of the first and default of the rivers. Mester Carl Expendition 2 Actes of \$7 seems in the value of sems in the value of the rivers. In the rivers. Mester Carl Expendition 2 Control of \$7 seems in the value o | | Ardea cinerea | About 25 seen spread over the trip. | |
| Purple Heron Andea purpure Actual of S sees repared work in Actual of S sees repared work in Actual of S sees repared work in Life Egref Sperin Gazet Egref Sperin Gazet Egref Sperin Gazet Egref International abuse A buse on on and gene on model work in International Actual Act | | | The commonest "grey" heron of the trip, seen daily in low numbers. Also in dry habitats | |
| Western Carel Eqret Camerodus albus Attal of Seen agree and over the tips, maining alborg | | | A total of 5 seen spread over the trip, mainly along the Nile and other rivers. | |
| Internediae Egrat Egrat Egrat internedia 2 beds seen 0.24 and 27.01 Life Egrat Egrat Egrat internedia Egrat | | | | |
| Link Expred Exprets Expres Exprets Exprets | | | | |
| Black Heron Exertla addesizea Z brink on 21 and 22-01 at GENP doing the "unberlay huming" Black Heron Burbuiss their Commonly seen auron daw yand were the trip Strate Litera Burbuiss their Commonly seen auron daw yand were the trip Strate Litera Burbuiss their Commonly seen auron daw yand were the trip Strate Litera Perspective Litera Commonly seen auron daw yand were the trip Strate Litera Burbuiss their addition of the trip Commonly seen auron daw yand were the trip Arrian Store Commonly seen auron at the trip daw of the trip Commonly seen auron at the trip Commonly seen auron at the trip Arrian Store Commany seen aver at the samelist ponds in dry areas. Entreme vaciant (Egypt) Arrian Store Commany seen aver at the samelist ponds in dry areas. Entreme vaciant (Egypt) Arrian Store Commany seen aver at the samelist ponds in dry areas. Entreme vaciant (Egypt) Arrian Store Comma Addition Arrian dry areas. Entreme vaciant (Egypt) Arrian Store Comma Addition Arrian dry areas. Arrian dry areas. Arrian dry areas. Arrian dry areas. Arrian dry areas. Arrian dry areas. | | | Duile common and seen on most days of the trip | |
| Western Bubulcus his Commonly seen almost daily agread over the trip Spatacc Heron Ardeda railoides Orie of the commons lenses Income the trip Spatacc Heron Bublick for the common set of the commons lenses seen Income trip Spatacc Heron Bublick for the common set of | | | 2 birds on 21 and 22-01 at QENP doing the "umbrella hunting" | |
| Speciatory Heron Addexis ratio One of the commonest herons seen Speciatory Heron Budroke stratuba Speciatory Heron Budroke stratuba Speciatory Heron Bits of Heron Micros Stratuba Speciatory Heron Budroke stratuba Speciatory Heron Bits of Heron Micros Stratuba Speciatory Heron Budroke stratuba Speciatory Heron Micros Stratuba Bits Speciatory Heron Micros Stratuba Speciatory Heron Speciatory Heron Micros Stratuba Bits Speciatory Heron Micros Stratuba Speciatory Heron Speciatory Heron Hadda Bits Bits Speciatory Heron Micros Speciatory Heron Speciatory Heron Speciatory Heron Hadda Bits Bits Speciatory Heron Micros Speciatory Heron Speciatory Heron Speciatory Heron Hadda Bits Bits Speciatory Heron Bits Speciatory Heron Speciatory Heron Speciatory Heron Hadda Bits Consta abdromi Bits Heron Speciatory Heron Speciatory Heron Speciatory Heron Hadda Bits Consta abdromi Bits Heron Speciatory Heron Speciatory Heron <t< td=""><td></td><td></td><td></td><td></td></t<> | | | | |
| Black-covered Might-Heren Nycleorax mycleorax 24-01 subable at Market Gloss Ubs Pregads Excellence Sender Might-Heren Micro Sender Micro Micro Sender Micro Alizar Sciend Ubs Threstoorins artificious Sender Micro Sender Micro Micro Alizar Special Ubs Threstoorins artificious Sender Micro Micro Micro Africar Openhil Patalea aba 22-01 2 ex. Seeding along the river at QENP - 29-01 20 ex. seen along the way in note fields and swamps Externe vagrant (Exp0) Africar Openhil Anastomus lamelligerus Send daily with about 40+ each day. Externe vagrant (Exp0) Admics Openhil Anastomus lamelligerus Send daily with about 40+ each day. Externe vagrant (Exp0) Admics Openhil Anastomus lamelligerus Send daily with about 40+ each day. Externe vagrant (Exp0) Admics Sink Ciconia docinia 400 ex. in net flock (migrants on there way north). Mere seen at Kaboo alseping in the trees on 23 and 24-01 Sender ballow Marabou Stork Epitophilos currentificus Common yees apread over the ting, alon immalurus. Sender ballow Sender ballow Marabou Stork Epitophilos currentificus | | | One of the commonest herons seen | |
| Glossy, bis Plegads falanellas 30-01 7 ox. in one flock at a swamp near Embelo. Harken Sacred bia Threeskorins aethopicus Sen daily with a maximum of 30 birks (22-01) on a dwy. Harken Sacred bia Boothychia haedesish Commonly seen daily often a maximum of 30 birks (22-01) on a dwy. Harken Sacred bia Scouts unbit a lacobiash Commonly seen daily often a maximum of 30 birks (22-01) on a dwy. Harken Sacred bia Scouts unbit a lacobiash Commonly seen daily often a maximum of 30 birks (22-01) on a dwy. Harken Soch Scouts unbit a lacobiash Commonly seen daily often a maximum of 30 birks (22-01) on a dwy. Antican Openhal Anset on maximum a dwall often a maximum of 30 birks (22-01) on a dwy. Extreme vagnant (Esyot) Abdim S Stork Clone a conin Sen daily with about 40+ each dwy. Extreme vagnant (Esyot) Volus Accked Stork Clone a conin 400 ext. one flock (magnants on there way not) where seen at Kadepo sleeping in the trees on 23 and 24-01 Volus Accked Stork Clone a conin 400 ext. one maximum dwall of the with about 40 each of the with about 40 each often a search ext. Volus Stork Extreme vagnant (Esyot) A total of 55 store spread over the trip, some van dwall often about 40 each other search about 40 each othe seven at A total of 50 each spread over the trip, some | | | 24-01 1 ex. along the river at Muchison Falls | |
| African Threskornis astriculous See dualy with a maximum of 30 birds (22-01) on a day. Hadda fibs Bostychic hagedash Commonly seen dualy often in sull flocks or pairs. Funcan Spoorbill Platabea laboa 22-01 2 er. Keeling along the river al (DLRP + 29-01 20 ex. seen along the way in rice fields and swamps Hamerboo Scopus umberbin Commonly seen even al the smallest ponds in dv ateas. Externed along the river al (DLRP + 29-01 20 ex. seen along the way in rice fields and swamps Hamerboo Scopus umberbin Commonly seen even al the smallest ponds in dv ateas. Externe vagrant (Eqxpt) Hamerboo Scopus umberbin Commonly seen even al the smallest ponds in dv ateas. Externe vagrant (Eqxpt) Morelly-necked Stork Coronia episopus Atola of a solitarie brites seen apread over the tip. often in dv areas? Externe vagrant (Eqxpt) Marabou Stork Epholpichrynchus senegaint Coronia equal vals in the even of Marpala Externe vagrant (Eqxpt) Storbill Balanepi resk Atola of Store server in the cry. solitarie way north where seen al Kidops elseping in the trees on 23 and 24-01 Externe vagrant (Eqxpt) Velow-biled Stork Epholpichrynchus senegain Atola of Store server and vars in the tree seen al Kidops elseping in the tress on 23 and 24-01 | | | | |
| Haddad bis Bostrychia hagedsah Commonly seen daily often in small flocks or pails. Image: Commonly seen daily often in small flocks or pails. Eurasian Spoorbill Platelea alba 24-011 minuture along the view at Muchison Fails. Eurasian Spoorbill African Spoorbill Platelea alba 22-011 zer. Keeding along the river at QENP 42-001 zer. Seen alleak products in dry areas. Eurone vagant (Exper) Abdim Stock Caconia abdimiliant 23-011 ser. 22-017 zer. (in a large flock) flock price of the flock price | | | | |
| Eurasia Spoorbill Platake leucordodia 24-011 liminature along the river at QENP + 29-0120 ex, seen along the way in rice fields and swamps Image: Commonly seen even at the smallest point in explored by a seen along the way in rice fields and swamps Extreme events Harmerkop Scopus umberta Commonly seen even at the smallest point in the burning area's at Muchison Fails. Extreme vagrant (Egypt) Abdim's Stork Chonic addimil 23-01 1 ex + 23-01 10 ex. (in a large flook) leeding in the seen at Kompone and the seen at Kompone an | Hadada Ibis | | | |
| African Sponhill Platalea alba 22-01 2 ex. feeding along the river at ORP + 29-01 20 ex. seen along the way in rice fields and swamps Image: Commonly seen even at the smallest ponds in dry area's. African Openhill Anastomus lammiligenus Seen daily with about 40+ each day. Externe vagrant (Eqypt). Abdrin's Stork Commonly seen even at the smallest ponds in dry area's. Externe vagrant (Eqypt). Abdrin's Stork Commonly seen even at the smallest ponds in dry area's. Externe vagrant (Eqypt). Abdrin's Stork Commonly seen even at the smallest ponds in dry area's. Externe vagrant (Eqypt). Abdrin's Stork Commonly seen even at the smallest ponds in dry area's. Externe vagrant (Eqypt). Abdrin's Stork Externe vagrant (Eqypt). Externe vagrant (Eqypt). Abdra Stork Externe vagrant (Eqypt). Externe vagrant (Eqypt). Abdra Stork Externe vagrant the seen area. Externe vagrant (Eqypt). Black shouldred Kite Balaenceps rev. 21-011 ex at as awamp and 3Dort lex, at as awamp near. Enterbe, no words to describe this species. Externe vagrant (Eqypt). Black Stouldred Kite Balaenceps rev. 21-011 ex at as awamp and as an after every few Km. Other head caling Externe vagrant (Eqypt). Black Kite | | | | |
| Harnerkop Scopus unbretta Commonly seen even at the smallest ponds in dry area's. Extreme vagrant (Egypt) Abdim's Stork Ciconia abdimilia 23-011 ex + 24-017 0 ex. (in a large fick) feeding in the burning area's at Muchison Falls. Extreme vagrant (Egypt) Modin's Stork Ciconia abdimilia 23-011 ex + 24-017 0 ex. (in a large fick) feeding in the trees on 23 and 24-01 Extreme vagrant (Egypt) Stork Ciconia docinia Addia of Seens pread over the tip, mainly adoing the Nike and Other mers. Extreme vagrant (Egypt) Stork Ciconia docinia Addia of Seens pread over the tip, mainly adoing the Nike and Other mers. Extreme vagrant (Egypt) Stork Michardin Bad Atotal of Seens pread over the tip, mainly adoine centrie of Kampalal Extreme vagrant (Egypt) Stork Michardin Bad Atotal of 15 seen spread over the tip, some very nice dose readside vers. Extreme vagrant (Egypt) Black Kite Milvus paracticus Common mostly outside the villages dover the tip, some very nice dose readside vers. Extreme vagrant (Egypt) Yellow-billed Kite Milvus paracticus Common mostly outside the villages dover the tip, some very nice dose readside vers. Extreme vagrant (Egypt) Yellow-billed Kite Milvus paracticus Common stepara long on | | | | |
| Abdim* Ciconia abdimil 23:01 tex + 24:01 70 ex. (in a large lock) feeding in the burning area's at Muchison Falls. Woolly-necked Stork Ciconia episcous A total of 3 solitaire birds seen spread over the tip, often in dry area's White Stork Ciconia episcous A total of 5 seen spread over the tip, adini u dry area's Marabou Stork Leptophilos crumeniferus Commonly seen daily also in breeding colonies even in the centre of Kampalal Marabou Stork Leptophilos crumeniferus Commonly seen daily also in breeding colonies even in the centre of Kampalal Shoebill Balaeniceps rex 21:01 1 ex at Malamba Swamp and 30:01 1 ex, at a swamp near Entebbe, no words to describe this species. Shoebill Balaeniceps rex 21:01 1 ex at Malamba Swamp and 30:01 1 ex, at a swamp near Entebbe, no words to describe this species. Velow-billed Kite Falma Scattrus Common words vourble the vilones of the tip, some very nice coles endiside views. Velow-billed Kite Gamos canterious Common words vourble the vilones of the vice very falm of course African Fish-Sale Malaentas vourble words to describe this, species. Experimental transmitters. Palm-rul Vulture Ropohierax angolenis A total of 3 birds seen spread over the tip, some very low Kin. Often heard calling Palma Vulture <td>Hamerkop</td> <td></td> <td></td> <td></td> | Hamerkop | | | |
| Woolsynacked Stork Ciconia episcopus A total of 3 solitaire birds seen spread over the trip, often in dry area's Saddle-billed Stork Ephippiorhynchus senegaler A total of 5 seen spread over the trip, namity along the Nile and other rivers. Marabou Stork Leptopiorhynchus senegaler A total of 5 seen spread over the trip, alon immatures. Shoebill Balachelogis crumenitoring Commonly seen dairy also in breeding colonies even in the count of Kanpalal Vellow-billed Stork Mycteria bis A total of 55 seen spread over the trip, alon immatures. Black Kite Elaws migrans The commonest raptor trip, some very nice close roadside veres. Black Kite Mivus paraticus Common mostly outside the village but 1 di not check every bird off course Artican Fish-Eagle Halaeuts vocler Quite commonity seen dairy along the big triese with a par after every lew Kite. Patimut Vulture Spohenza manglenisa A total of 3 bids seen spread over the trip, some very nice views Patimut Vulture Spohenza manglenisa A total of 3 bids seen spread over the trip, some very nice views Patimut Vulture Systematicus 24011 of 3 bids seen spread over the trip, some very nice views White-backed Vulture Systematicus 24021 of 3 bids seen spread over the trip, | | | | Extreme vagrant (Egypt) |
| White Stork Cliconia 400 ex. in one flock (migrants on three way north) where seen at Kidepo sleeping in the trees on 23 and 24-01 Marabou Stork Leptoplios crumeniferus Commonly seen daily also in bree way north) where seen at Kidepo sleeping in the trees on 23 and 24-01 Marabou Stork Leptoplios crumeniferus Commonly seen daily also in bree way north) where seen at Kidepo sleeping in the trees on 23 and 24-01 Shoebill Black-Induction Leptoplios crumeniferus Commonly seen daily also in bree way north) where seen at Kidepo sleeping in the trees on 23 and 24-01 Shoebill Black-Shouldered Kite Elanus caeruleus Attail of 55 seen spread over the trip, also inmatures. Black-Shouldered Kite Mivus migrans The commonest raptor mostly in the villages but 1 dot to check every bird off course African Fish-Eagle Halaeetus vocifer Quite common hyseen along the bin yens with a pair after every few Km. Often head calling Palm-nut Vulture Neproher pactrophrus A surprising only 3 where seen al in the vionity of Kampala on 30-01 Rougel Si Vulture Neorosyntes monachus A total of 38 seen during the trip, also the support was on the seen at Store on views Holdow Vulture Neorosyntes monachus A total of 38 seen during the trip, also the views of perched birds. Holdow Vulture Ap | | | | |
| Sadde-billed Stork Ephippiorhynchus senegaler A total of 5 seen spread over the trip, mainy along the Nile and other rivers. Warabou Stork Mytcleria bis A total of 55 seen spread over the trip, alos immatures. Shoebil Balaeniceps rex 2101 to x at Mabamba Swamp and 30-001 to x. at a swamp near Entebbe, no words to describe this species Black Kite Milvus migrans The commonstry send alor the trip, some very nice close roadside views. Black Kite Milvus migrans Common mostly outside the villages but 1 did not check every bird off course African Fish-Eagle Halaeetus vocler Common mostly outside the villages but 1 did not check every bird off course African Fish-Eagle Halaeetus vocler Quite commonly seen along the big rivers with a pair after every few Kn. Ottan head caling Palm-nut Vulture Rypoharax angolensis A total of 3 birds were seen along the vicinty of Kampala on 30-01 Egyptian Vulture Neophron perconpeterus 28-011 ex. thing behind Morch, a quite difficult bird in Uganda. White-backed Vulture Ryps africanus 26-011 immature seen in a tree at Kidepo. A rare species in Uganda. Back Kite A total of 3 seen outring the may thing work on ange rat views of parched birds. White-backed Vulture Aegyptus toccipitals 3 birds seen in total on 28-e27.01, noe birds, immatures look very mu | | | | |
| Marabou Stork Léptoptilos crumeníferus Commonly seen daily also in breeding colonies even in the centre of Kampalal Velloux-billed Stork Mycteria ibis A total of 55 seen spread over the trip, some very nice does roadsdor leves. Image: Common Structures. Shoebill Balaeniceps rex. 21-01 1 e x at Mabamba Swamp and 30-011 ex, at a swamp near Entebbe, no words to describe this species. Image: Common Structures. Black-Bouddered Kite Elaux caeruleus A total of 15 seen spread over the trip, some very nice does roadsdor leves. Image: Common Structures. Pelloux-billed Kite Mitus migrans The commonest raptor mostly uside the villages but I did not to heck every bird off course African Fish-Eagle Halaeetus vocifer Quite commonly seen along the big rivers with a pair after every few Km. Often heard calling Palm-nut Vulture Reporters monachus A surprising only 3 where seen all in the vicintly of Kampala Hooded Vulture Nectoryntes monachus A total of 3 birds even in total on 250-11 sec. King uidefficult birds. White-backed Vulture Gyps singerpelli 26-01 1 mis multi on 26-22-01, nice singers of were the birds. Roppell's Vulture Aegypuis trachelotus A total of 2 birds of birds. Short-foed Eagle Circaetus beaudouin 27-01 1 tex. seen fly | | | 400 ex. In one flock (migrains on there way norm) where seen at kidepo sleeping in the trees on 23 and 24-01 | |
| Yellow-billed Stork Mycteria ibis A total of 55 seen spread over the trip, also immatures. Shoebill Balaeniceps rex 21-01 1 ex at Maabamba Swamp and 30-011 ex, at a swamp near Entebbe, no words to describe this species Black Kite Milvus migrans The commonset raptor mostly in the villages Yellow-billed Kite Milvus paracticus Common mostly outside the villages but 1 din ot check every bird off course African Fish-Eagle Halaeetus vocifer Quite commonly seen along the big rivers with a pair after every few Km. Often heard calling Paim-nut Vulture Gypohierax angolensis A total of 3 birds seen spread over the trip, some very nice views Hooded Vulture Necrosystes minorabus A surprising only 3 where seen all in the vicinity of Kampala on 30-01 Expyptian Vulture Gypos africanus A total of 3 seen spread over the trip, some great views Rubpell's Vulture Gyps africanus A total of 3 seen spread over the trip, some great views Rubpell's Vulture Gyps africanus A total of 3 seen spread over the trip, some great views Short-toed Eagle Circaetus galicus 23-01 1 ex. seen and studiepd weil along the way from Kidepo. Black-chested Snake-Eagle Circaetus senterious A total of 1 seen, seen and studiepd weil along the way | | | | |
| Shoebil Balaeniceps rex 21-01 1 ex at Mabamba Swamp and 30-01 1 ex, at a swamp near Entebbe, no words to describe this species. Black-Shouldered Kite Elanus caenulous A total of 15 seen spread over the trip, some very nice close roadide views. Image: State Shoulder State Stat | Yellow-billed Stork | | A total of 55 seen spread over the trip, also immatures. | |
| Black Kite Mivus migrans The commonest rapid romstly in the villages Intervent of the common set outside the villages but 1 did not check every bird off course Intervent of the course Velow-billed Kite Milvus paracituus Common mosity outside the villages but 1 did not check every bird off course Intervent of the course Intervent of the course Palm-nut Vulture Bypobierax angolensis A total of 3 birds seen spread over the trip, some very nice views Intervent of the views Hooded Vulture Neophong pernopterus 28-011 ex. Vinna behind Moroto, a quite difficult bird in Qanda. Intervent of the views White-backed Vulture Gyps ariticanus A total of 38 seen during the trip, often in small flocks. Intervent of the views of perched birds. Riappel1s Vulture Aegyptius racheliotus A total of 11 seen, sarprisingly many in my opnion, some great views of perched birds. Intervent of the views of perched birds. Short-bed Eadle Circaetus perconterus 24-01 1 ex. seen flying over along the way from Kdepo. Intervent of the views of perched birds. Black-chested Snake-Eagle Circaetus perconterus A total of 5 seen spread over the trip, often dark brewn head and chest. Intervent of the views of percent of the views of p | | | 21-01 1 ex at Mabamba Swamp and 30-01 1 ex. at a swamp near Entebbe, no words to describe this species | |
| Yellow-billed Kite Mitvus paraciticus Common mostly outside the villages but I did not check every bird off course Palm-nut Vulture Gypohierax angolensis A total of 3 birds seen spread over the trip, some very nice views Hooded Vulture Necrosyntes monachus A suprising only 3 where seen all in the vicinity of Kampala on 30-01 Egyptian Vulture Necrosyntes monachus A suprising only 3 where seen all in the vicinity of Kampala on 30-01 Rüppel's Vulture Opto africanus A total of 38 seen during the trip, often in small flocks. Rüppel's Vulture Gyps reppellil 26-01 1 immature seen in a tree al Kidepo. A rare species in Uganda. Lappet-faced Vulture Aegrybus tracheliotus A total of 11 seen, suprisingly many in my opinon, some great views of perched birds. Short-toed Eagle Circaetus beaudouin 27-01 1 ex. seen finging over along the way torm Kidepo. Black-chested Snake-Eagle Circaetus beaudouin 27-01 1 ex. seen finging over along the way torm Kidepo. Black-chested Snake-Eagle Circaetus beaudouin 27-01 1 ex. seen finging vara's. Black-chested Snake-Eagle Circaetus cineraeus 24-01 1 f.s. in a tree al CENP, quite obvicus dark brown head and chest. Western Banded Snake-Eagle Circaetus cineraeus A total of 1 seen spr | | | A total of 15 seen spread over the trip, some very nice close roadside views. | |
| African Fish-Eagle Haliaeetus vocifer Quite commonly seen along the big rivers with a pair after every few Km. Often heard calling Palm-nut Vulture Gypobiers angolensis A total of 5 birds seen spread over the trip, some very rice views Hooded Vulture Necrosyrtes monachus A surprising only 3 where seen all in the vicinity of Kampala on 30-01 Egyptian Vulture Neophron perconpetrus 28-01 1 ex. flying behind Moroto, a quite difficult bird in Uganda. White-backed Vulture Gyps srueppelli 26-01 1 immature seen in a tree at Kidepo. A rare species in Uganda. Rippel's Vulture Gyps srueppelli 26-01 1 immature seen in a tree at Kidepo. A rare species in Uganda. Short-tood Eagle Circaetus palcus 21-01 1 ex. seen flying over along the way +27-01 1 ex. at Kidepo, wintering birds. Beaudouin's Snake-Eagle Circaetus beaudouini 27-01 1 ex. in a tree at GPR. Quite obvious dark brown head and chest. Brown Snake-Eagle Circaetus cineraecons 24-01 3 ex. seen spread over the trip, in dry areas. Western Banded Snake-Eagle Circaetus cineraecons 24-01 3 ex. seen apute cose to each other at M.F. Bateleur Terathy of 1 sex seen spread over the trip, in dry areas. 24-01 3 ex. seen quite cose to each other at M.F. Bateleur Terathy oscillations each over the trip, noften at M.F. Easthet face ou | | | | |
| Palm-nut Vulture Gypohierax angolensis A total of 3 birds seen spread over the trip, some very nice views Hooded Vulture Necrosyntes monachus A surgrishing only 3 where seen all in the vicinity of Kampala on 30-01 Egyptian Vulture Nechono percoopterus 28-01 1 ex. flying behind Moroto, a quite difficult bird in Uganda. White-backed Vulture Gyps africanus A total of 38 seen during the trip, often in small flocks. Rüppell's Vulture Agypius tracheliotus A total of 38 seen on a tree at Kidepo. A rare species in Uganda. Lappet-faced Vulture Agypius tracheliotus A total of 11 seen, suprising many in my opinion, some great views of perched birds. White-haeded Vulture Agypius cocipitalis 3 birds seen in total on 24-27-01, nice tirks, immatures look very much like Lappet-faced Beaudouin's Snake-Eagle Circaetus pectoralis 22-01 1 ex. seen and studie wery wery free way + 27-01 1 ex. at Kidepo. Black-chested Snake-Eagle Circaetus cinererus A total of 5 seen spread over the trip in dry area's. Western Barded Snake-Eagle Circaetus cinerascens 24-01 1 ex. seen apread over the trip, mostly in the game reserves, all but one with brown backs. Finally on my list. Healeur Tearthopius ecaudatus A total of 12 seen at two swamps, Mabamba and a swamp near Entebbe. After some practice not to di | | | | |
| Hooded Vulture Necrosystes monachus A surprising only 3 where seen all in the vicinity of Kampala on 30-01 Egyptian Vulture Neophron perconopterus 28-01 ex. flying behind Moroto, a quite difficult bir in Uganda. White-backed Vulture Gyps articanus A total of 38 seen during the trip, othen in small flocks. Rüppeli's Vulture Gyps rueppelii 26-01 1 immature seen in a tree at Kidepo. A rare species in Uganda. Lappet-faced Vulture Aegypius trachelicitus A total of 11 seen, suprisingly many in my opinion, some great views of perched birds. White-backed Vulture Aegypius caccipitalis 3 birds seen in total on 26+27-01, nice birds, immatures look very much like Lappet-faced Short-toed Eagle Circaetus pectoralis 22-01 1 ex. seen flying over along the way + 27-01 1 ex. as toleppo, wintering birds. Black-chested Snake-Eagle Circaetus pectoralis 22-01 1 ex. in a tree at UENP, quite obvious dark brown head and chest. Brown Snake-Eagle Circaetus cinereus A total of 1 seen supread over the trip, mostly in the game reserves, all but one with brown backs. Finally on my list. Less than annual vagrant Western March Harrier Circaetus cinereus A total of 1 seen on two days, most of them (10) on 27-01 near Moroto, flying to a roost. Moroto, flying to a roost. Western Marsh Harrier | | | | |
| Egyptian Vulture Neophron percopterus 28-011 ex. living behind Moroto, a guite difficult bird in Uganda. White-backed Vulture Gyps africanus A total of 38 seen during the trip, often in small flocks. Image: State of the state | | | | |
| White-backed Vulture Gyps africanus A total of 38 seen during the trip, often in small flocks. Rippells Vulture Gyps interaction A total of 11 seen, surprisingly many in my opinion, some great views of perched birds. Image: Comparison of the trip often in stature at Kidepo. A rine species in Uganda. White-headed Vulture Aegypius tracheliotus A total of 11 seen, surprisingly many in my opinion, some great views of perched birds. White-headed Vulture Aegypius cocipitalis 3 birds seen in total on 26+27-01, nice birds, immatures look very much like Lappet-faced Short-toed Eagle Circaetus galicus 21-01 1 ex. seen flying over along the way + Zr-01 1 ex. at Kidepo, wintering birds. Beauchouris's Snake-Eagle Circaetus pectoralis 22-01 1 ex. in a tree at QENP, quite obvious dark brown head and chest. Brown Snake-Eagle Circaetus cinerascens 24-01 3 ex. seen quite close to each other at M.F. * Batek-tear Circaetus cinerascens 24-01 3 ex. seen quite close to each other at M.F. * Batekeur Terathoplus ecaudatus A total of 12 seen spread over the trip, nostly in the game reserves, all but one with brown backs. Finally on my list. Less than annual vagrant Westem Marsh Harrier Circus ateruginosus A total of 12 seen at two swamps, Mabamba and a swamp near Entebbe. After some practice not to difficult to ID | | | 28-01 1 ex. fiving behind Moroto, a quite difficult bird in Uganda. | |
| Rippell's Vulture Gyps rueppelli 26-011 immature seen in a tree at Kidepo. A rare species in Uganda. Lappet-faced Vulture Aegypius tacheliotus A total of 11 seen, surprisingly many in my opinon, some great views of perched birds. White-headed Vulture Aegypius occipitalis 3 birds seen in total on 26+27-01, nice birds, immatures look very much like Lappet-faced Short-toed Eagle Circaetus galicus 21-01 1 ex. seen flying over along the way + 27-01 1 ex. at Kidepo, wintering birds. Beaudourin's Snake-Eagle Circaetus beaudouini 27-01 1 ex. seen and studied well along the way + 27-01 1 ex. at Kidepo. Biack-chested Snake-Eagle Circaetus beaudouini 27-01 1 ex. seen and studied well along the way + 27-01 rex. at Kidepo. Biack-chested Snake-Eagle Circaetus cinereus 24-01 1 ex. seen and studied well along the way + 27-01 rex. at Kidepo. Biack-chested Snake-Eagle Circaetus cinereus 24-01 3 ex. seen guite close to each other at M.F. Western Banded Snake-Eagle Circaetus cinereus 24-01 3 ex. seen guite close to each other at M.F. Bateleur Terathopius ecaudiatus A total of 1 seen spread over the trip, mostly in the game reserves, all but one with brown backs. Finally on my list. Less than annual vagrant Western Marsh Harrier Circus anivorus A total of 5 seen spread over the trip, often a drosto, flying to a roost. | | | A total of 38 seen during the trip, often in small flocks. | |
| White-headed Vulture Aegyptus occipitalis 3 birds seen in total on 26+27-01, nice birds, immatures look very much like Lappet-faced Short-toad Eagle Circaetus gallicus 21-01 1 ex. seen flying over along the way + 27-01 1 ex. at Kidepo, wintering birds. Beaudouin's Snake-Eagle Circaetus beaudouini 27-01 1 ex. seen and studied well along the way + 27-01 1 ex. at Kidepo. Black-chested Snake-Eagle Circaetus concrus A total of 5 seen spread over the trip, in dry area's. Western Banded Snake-Eagle Circaetus cinerascens 24-01 3 ex. seen quite close to each other at M.F. "Bactern Marsh Harrier Terathoptus ecaudatus A total of 1 seen spread over the trip, mostly in the game reserves, all but one with brown backs. Finally on my list. Less than annual vagrant Western Marsh Harrier Circus aeruginosus A total of 1 seen on two days, most of them (10) on 27-01 near Moroto, flying to a roost. Artican Marsh Harrier Circus ranivorus A total of 5 seen, mostly adult males. Li dh on thave the time to go in detail with all the ringtals seen. Montagu's Harrier Circus ranivorus A total of 5 seen spread over the trip, often from a driving car. Montagu's Harrier Circus ranivorus A total of 5 seen nored over the trip, often from a driving car. < | Rüppell's Vulture | Gyps rueppellii | 26-01 1 immature seen in a tree at Kidepo. A rare species in Uganda. | |
| Short-toed Eagle Circaetus galicus 21-01 1 ex. seen flying over along the way + 27-01 1 ex. at Kidepo, wintering birds. Beaudouin's Snake-Eagle Circaetus pectoralis 22-01 1 ex. in a tree at QENP, quite obvious dark brown head and chest. Brown Snake-Eagle Circaetus pectoralis 22-01 1 ex. in a tree at QENP, quite obvious dark brown head and chest. Brown Snake-Eagle Circaetus cinereus A total of 5 seen spread over the trip, in dry area's. Westem Banded Snake-Eagle Circaetus cineracens 24-01 1 sex. seen quite close to each other at M.F. "Batek-torse Marsh Harrier Circae aruginosus A total of 12 seen spread over the trip, mostly in the game reserves, all but one with brown backs. Finally on my list. Less than annual vagrant Western Marsh Harrier Circus ranivorus A total of 12 seen at two swamps, Mabamba and a swamp near Entebbe. After some practice not to difficult to ID Paild Harrier Circus macrourus A total of 12 seen spread over the trip, often from a driving car. Paild Harrier Circus macrourus A total of 5 seen spread over the trip, often from a driving car. Paild Harrier Circus macrourus A total of 5 seen spread over the trip, often from a driving car. Paild Harrier Circus macrourus A total of 5 seen spread over the trip, often from a driving car. Dark Chaning Goshawk | Lappet-faced Vulture | Aegypius tracheliotus | A total of 11 seen, surprisingly many in my opinion, some great views of perched birds. | |
| Beaudouin's Snake-Eagle Circaetus beaudouini 27-01 1 ex. seen and studied well along the way from Kidepo. Black-chested Snake-Eagle Circaetus pectoralis 22-01 1 ex. in a tree at QENP, quite obvious dark brown head and chest. Brown Snake-Eagle Circaetus cinereus A total of 5 seen spread over the trip in dry area's. Western Banded Snake-Eagle Circaetus cinereus A total of 17 seen spread over the trip, mostly in the game reserves, all but one with brown backs. Finally on my list. Less than annual vagrant Western Marsh Harrier Circus aeruginosus A total of 11 seen on two days, most of them (10) on 27-01 near Moroto, flying to a roost. Atrican Marsh Harrier Alrican Marsh Harrier Circus ranivorus A total of 5 seen, mostly adult males. I did not have the time to go in detail with all the ringtals seen. Montagu's Harrier Vicrus Arrier Circus prygargus 22-01 2 ex. at OENP + 27-01 751 seen flying to a roost at Moroto. Not all checked well (pallids could be among them) Lizard Buzzard Montagu's Harrier Circus prygargus 22-01 2 ex. at OENP + 27-01 751 seen flying to a roost at Moroto. Not all checked well (pallids could be among them) Lizard Buzzard Marinag Goshawk Melierax metabates 2 seen on 26+27-01 at Kidepo Atrica noshawk Atrican Goshawk Melierax poliopterus </td <td></td> <td></td> <td></td> <td></td> | | | | |
| Black-chested Snake-Eagle Circaetus pectoralis 22-01 1 ex. in a tree at QENP, quite obvious dark brown head and chest. Brown Snake-Eagle Circaetus cinereus A total of 5 seen spread over the trip, in dry area's. Western Banded Snake-Eagle Circaetus cinereus 24-01 3 ex. seen quite close to each other at M.F. "Bateleur Terathoplus ecaudatus A total of 1 seen spread over the trip, mostly in the game reserves, all but one with brown backs. Finally on my list. Less than annual vagrant "Bateleur Terathoplus ecaudatus A total of 1 seen spread over the trip, mostly in the game reserves, all but one with brown backs. Finally on my list. Less than annual vagrant "Bateleur Terathoplus ecaudatus A total of 1 seen on two days, most of them (10) on 27-01 near Moroto, flying to a roost. Esstimannual vagrant Alrican Marsh Harrier Circus maivorus A total of 5 seen, mostly adult males. I did not have the time tog o in detail with all the ringtalts seen. Esstimannual vagrant Pallid Harrier Circus pygargus 22-01 2 ex. at QENP + 27-01 75! seen flying to a roost at Moroto. Not all checked well (pallids could be among them) Esstimannual vagrant Lizard Buzzard Kaupifalco monogrammicus A total of 5 seen spread over the trip, often from a driving car. Esstimannual vagrant Lizard Buzzard Kaupifalco monogrammicus A total of 5 | Short-toed Eagle | Circaetus gallicus | 21-01 1 ex, seen flying over along the way + 27-01 1 ex, at Kidepo, wintering birds. | |
| Brown Snake-Eagle Circaetus cinereus A total of 5 seen spread over the trip in dry area's. Western Banded Snake-Eagle Circaetus cinereus 24/01 3 ex. seen quite close to each other at M.F. "Batefeur Terathopius ecaudatus A total of 17 seen spread over the trip, mostly in the game reserves, all but one with brown backs. Finally on my list. Less than annual vagrant "Batefeur Terathopius ecaudatus A total of 12 seen spread over the trip, mostly in the game reserves, all but one with brown backs. Finally on my list. Less than annual vagrant Western Marsh Harrier Circus aeruginosus A total of 12 seen at two oswamps, Mabamba and a awamp near Entebbe. After some practice not to difficult to ID Pallid Harrier Circus macrourus A total of 5 seen, mostly adult males. I did not have the time to go in detail with all the ringtails seen. Montagu's Harrier Circus macrourus A total of 5 seen spread over the trip, often from a driving car Dark Chanting Goshawk Melierax metabates 2 seen on 26+27-01 at kidepo. Attican Alsar antelabation 1 ex. seen (yellow bill) on 27-01 near Kidepo. Eastern Chanting Goshawk Melierax poliopterus 1 ex. seen (yellow bill) on 27-01 near Kidepo. African Goshawk Accipiter tachtiro 21-011 tex. avery dark bird sitting in a tree along the way, a | Black-chested Snake-Eagle | | | |
| Western Banded Snake-Eagle Circaetus cinerascens 24-01 3 ex. seen quite close to each other at M.F. "Bateleur Terathopius ecaudatus A total of 17 seen spread over the trip, mostly in the game reserves, all but one with brown backs. Finally on my list. Less than annual vagrant "Bateleur Circus aeruginosus A total of 11 seen on two days, most of them (10) on 27-01 near Moroto, flying to a roost. | | | A total of 5 seen spread over the trip in dry area's. | |
| Bateleur Terathoplus ecaudatus A total of 12 seen spread over the trip, mostly in the game reserves, all but one with brown backs. Finally on my list. Less than annual vagrant Westem Marsh Harrier Circus aeruginosus A total of 12 seen on two days, most of them (10) on 27-01 near Moroto, flying to a roost. A total of 12 seen at two swamps, Mabanba and a swamp near Entebbe. After some practice not to difficult to ID Palled Harrier Circus ranivorus A total of 12 seen, mostly adult males, I did not have the time to go in detail with all the ringtails seen. Montagu's term of the seen, mostly adult males, I did not have the time to go in detail with all the ringtails seen. Montagu's term of the seen provide the time to go in detail with all the ringtails seen. Montagu's term of the seen provide the time to go in detail with all the ringtails seen. Montagu's term of the seen provide the time to go in detail with all the ringtails seen. Montagu's term of the seen provide the time to go in detail with all the ringtails seen. Montagu's term of the seen provide the time to go in detail with all the ringtails seen. Montagu's term of the seen provide the time to go in detail with all the ringtails seen. Montagu's term of term o | Western Banded Snake-Eagle | Circaetus cinerascens | 24-01 3 ex. seen quite close to each other at M.F. | |
| Western Marsh Harrier Circus aeruginosus A total of 12 seen at two days, most of them (10) on 27-01 near Moroto, flying to a roost. African Marsh Harrier Circus ranivorus A total of 12 seen at two days, most of them (10) on 27-01 near Moroto, flying to a roost. Pallid Harrier Circus macrourus A total of 12 seen at two swamps, Mabamba and a swamp near Entebbe. After some practice not to difficult to ID Pallid Harrier Circus macrourus A total of 5 seen, mostly adult males. I did not have the time to go in detail with all the ringtalls seen. Montagu's Harrier Circus pygargus 22-01 2 ex. at QENP + 27-01 751 seen flying to a roost at Moroto. Not all checked well (pallids could be among them) Dark Chanting Goshawk Melierax metabates 2 seen on 26+27-01 at Kidepo African Goshawk Melierax policipterus 1 ex. seen (yellow bill) on 27-01 near Kidepo. African Goshawk Melierat policipterus 1 ex. seen (yellow thill) on 27-01 near Kidepo. African Goshawk Accipiter tachiro 21-01 1 ex. a very dark bird sitting in a tree along the way, a bit unexpected. Shikra Accipiter tachiro 29-01 1 male circeling above a visited town, nice black tips of the primaries (looking like Levants) Little Sparowhawk Accipiter badius 29-01 1 male circeling above a visited town, nice black tips of the primaries (looking like Levants) | *Bateleur | | A total of 17 seen spread over the trip, mostly in the game reserves, all but one with brown backs. Finally on my list. | Less than annual vagrant |
| Pallid Harrier Circus macrourus A total of 5 seen, mostly adult males. I did not have the time to go in detail with al the ringtails seen. Montagu's Harrier Circus pygargus 22-01 2 ex. ad QENP + 27-01 75! seen flying to a roost at Moroto. Not all checked well (pallids could be among them) Lizard Buzzard Kaupifalco monogrammicus A total of 5 seen spread over the trip, often from a driving car. Dark Chanting Goshawk Melierax metabates 2 seen on 26+27-01 at Kidepo Eastern Chanting Goshawk Melierax metabates 2 seen on 26+27-01 at Kidepo African Goshawk Melierax policipterus 1 ex. seen (vellow bill) on 27-01 near Kidepo. African Goshawk Accipiter tachiro 21-01 1 ex. a very dark bird stifting in a tree along the way, a bit unexpected. Shikra Accipiter badius 29-01 1 male circeling above a visited town, nice black tips of the primaries (looking like Levants) Little Sparrowhawk Accipiter minulus 26-01 1 male erched very nicely in a tree at Kidepo. Very pale upperparts. I first thought it was a cuckoo. African Goshawk Polyboroides typus 25-01 1 ex. seen (reflex way. | | | A total of 11 seen on two days, most of them (10) on 27-01 near Moroto, flying to a roost. | |
| Montagu's Harrier Circus pygargus 22-01 2 ex. at QENP + 27-01 75 is een flying to a roost at Moroto. Not all checked well (pallids could be among them) Lizard Buzzard Kaupifalco monogrammicus A total of 5 seen spread over the trip, often from a driving car Dark Chanting Goshawk Melierax metabates 2 seen on 26+27-01 at Kidepo Eastern Chanting Goshawk Melierax metabates 2 seen on 26+27-01 at Kidepo African Goshawk Melierax policipterus 1 ex. seen (vellow bill) on 27-01 near Kidepo. African Goshawk Accipiter tachiro 21-01 1 ex. a very dark bird sitting in a tree along the way, a bit unexpected. Shikra Accipiter badius 29-01 1 male circeling above a visited town, nice black tips of the primaries (looking like Levants) Little Sparrowhawk Accipiter milluls 26-01 1 male perched very nicely in a tree at Kidepo. Very pale upperparts. I first thought it was a cuckoo. African Gostawk Polyboroides typus 25-01 1 ex. seen (nifight along the way. | | Circus ranivorus | A total of 12 seen at two swamps, Mabamba and a swamp near Entebbe. After some practice not to difficult to ID | |
| Lizard Buzzard Kaupifalco monogrammicus A total of 5 seen spread over the trip, often from a driving car Dark Chanting Goshawk Melierax metabates 2 seen on 26+27-01 at Kidepo Eastern Chanting Goshawk Melierax poliopterus 1 ex. seen (vellow bill) on 27-01 near Kidepo. African Goshawk Accipiter tachiro 21-01 1 ex. a very dark bird sitting in a tree along the way, a bit unexpected. Shikra Accipiter badius 29-01 1 male circeling above a visited town, nice black tips of the primaries (looking like Levants) Little Sparrowhawk Accipiter minullus 26-01 1 male perched very nicely in a tree at Kidepo. Very pale upperparts. I first thought it was a cuckoo. African Harrier-Hawk Polyborides typus 25-01 1 ex. seen in flight along the way. | Pallid Harrier | | A total of 5 seen, mostly adult males. I did not have the time to go in detail with al the ringtails seen. | |
| Dark Chanting Goshawk Melierax metabates 2 seen on 26+27-01 at Kidepo Eastern Chanting Goshawk Melierax metabates 1 ex. seen (yellow bill) on 27-01 near Kidepo. Artican Goshawk Melierax policyterus 1 ex. seen (yellow bill) on 27-01 near Kidepo. Artican Goshawk Accipiter tachiro 21-01 1 ex. a very dark bird sitting in a tree along the way, a bit unexpected. Shikra Accipiter badius 29-01 1 male circeling above a visited town, nice black tips of the primaries (looking like Levants) Little Sparrowhawk Accipiter minulus 26-01 1 male perched very nicely in a tree at Kidepo. Very pale upperparts. I first thought it was a cuckoo. Artican Harrier-Hawk Polyboroides typus 25-01 1 ex. seen in flight along the way. | | Circus pygargus | | |
| Eastern Chanting Goshawk Melierax policipterus 1 ex. seen (vellow bill) on 27-01 near Kidepo. African Goshawk Accipiter tachiro 21-01 1 ex. a very dark bird siting in a tree along the way, a bit unexpected. Shikra Accipiter badius 29-01 1 male circeling above a visited town, nice black tips of the primaries (looking like Levants) Little Sparrowhawk Accipiter minullus 26-01 1 male perched very nicely in a tree at Kidepo. Very pale upperparts. I first thought it was a cuckoo. African Harrier-Hawk Polyborides typus 25-01 1 ex. seen in flight along the way. | | | | |
| African Goshawk Accipiter tachiro 21-01 1 ex. a very dark bird sitting in a tree along the way, a bit unexpected. Shikra Accipiter badius 29-01 1 male circeling above a visited town, nice black tips of the primaries (looking like Levants) Little Sparrowhawk Accipiter minullus 26-01 1 male perched very nicely in a tree at Kidepo. Very pale upperparts. I first thought it was a cuckoo. African Harrier-Hawk Polyboroides typus 25-01 1 ex. seen in flight along the way. | Eastern Chanting Goshawk | | 1 ex. see (vellow bill) on 27-01 near Kidepo. | |
| Shikra Accipiter badius 29-01 1 male circeling above a visited town, nice black tips of the primaries (looking like Levants) Little Sparrowhawk Accipiter minulus 26-01 1 male perched very nicely in a tree at Kidepo. Very pale upperparts. I first thought it was a cuckoo. African Harrier-Hawk Polyboroides typus 25-01 1 ex. seen in flight along the way. | | | | |
| Little Sparrowhawk Accipiter minullus 26-01 1 male perched very nicely in a tree at Kidepo. Very pale upperparts. I first thought it was a cuckoo. African Harrier-Hawk Polyboroides typus 25-01 1 ex. seen in flight along the way. | | | 29-01 1 male circeling above a visited town, nice black tips of the primaries (looking like Levants) | |
| | | Accipiter minullus | 26-01 1 male perched very nicely in a tree at Kidepo. Very pale upperparts. I first thought it was a cuckoo. | |
| Crosshopper Ruzzerd Ruzzer | | Polyboroides typus | 25-01 1 ex. seen in flight along the way. | |
| Grassingper buzzaru Dutastur fuliperinis A total or 4 birds seen spieau over une tilp one Very fice warm brown immature. | Grasshopper Buzzard | Butastur rufipennis | A total of 4 birds seen spread over the trip one very nice warm brown immature. | |
| Common Buzzard Buteo buteo 3 birds in total seen on 28 and 29-1, suprisingly to seen than so far south. | | | | |
| Long-legged Buzzard Buteo rufinus 28-01 1 ex. seen hovering above the steppe. Surprisingly a rare sight in Uganda (new for the leader). A classic bird. Lesser Spotted Eagle Aquila pomarina 27-01 1 ex. seen flying with the Montagues to a roost (?) near Moroto. | | | 27-01 Tex seen noveming above the steppe: Surprisingly a rate signit in Uganda (new for the reader). A classic bird. | |
| Lesser Spotled Eagle Aquia portanna 27-011 ex. seen seven limit with workagues to a rook (7) feat workage. Greater Spotled Eagle Aquia Langa 26-011 ad. seen sevenal times in flight at M.P. | | | | |
| Tawny Eagle Aquila rapax A total of 12 seen, all in pairs, one pair mating on a nest. Males smaller and darker (looking black) | | | A total of 12 seen, all in pairs, one pair mating on a nest. Males smaller and darker (looking black) | |
| Steppe Eagle Aquila nipalensis 24-01 2 seen together sitting in a tree, one ad. (dark bird) and one first winter | Steppe Eagle | Aquila nipalensis | 24-01 2 seen together sitting in a tree, one ad. (dark bird) and one first winter | |
| Wahlberg's Eagle Aquila wahlbergi A total of 12 seen on 21 and 22-01 at QENP and surroundings, long tailed Booted | Wahlberg's Eagle | Aquila wahlbergi | A total of 12 seen on 21 and 22-01 at QENP and surroundings, long tailed Booted | |

| and a set of | Dente d Famile | | | | | | | | |
|--|---|---|---|---|---|------|--------------------|--|--|
| Sole AppliaFold Sole Sole Sole Sole Sole Sole Sole Sole | Booted Eagle | Hieraaetus pennatus | 22-01 1 dark face along the way + 26-01 1 dark face at Kidepo supposed to be quite rare in Uganda? | | | | | | |
| Granue Accord Feb Instruction And I define ages Instruments Instruments Granue Accord | | | | | | | | | |
| Gray LoardCold 2 and 2 Add 2 | | | 27-01 so ex. humming and hymrig to a roost near Moroto. | | | | | | |
| SindersonAcid factorAcid factor< | | | | | | | | | |
| Souff MuchandelFirst AuburdelFirst | | | | | | | | | |
| Addres Case based Case based Case based Company Case company Case | | | | Rare breeder Marocco | | | | | |
| Stak SamAmazonia BornaryConstruction (Section Section Construction Section S | | | | | | | | | |
| Attack Sump-Ision Performantspace Performa | | | | 2000 than annual ragrant | | | | | |
| Adapt Enclusion Proceeding along the second | | | | | | | | | |
| ControlCalula is already already already | | | 3 ex, seen, 23-01 one immature at a very small swamp near M.P., 24-01 one ad. at the river at M.P. and 27-01 one very nice ad. at Kidepo. | Annual vagrant | | | | | |
| cased Jobah Maxaou Account C101 For some all models in the part of th | Common Moorhen | Gallinula chloropus | | | | | | | |
| Black Adding Staping Adding A panel during the The Three was a good 10 mode withe set helps. Including Staping Black Adding Staping Adding A panel during the The Three was a good 10 mode withe set helps. Including Staping Series Three Adding Staping Adding A panel during the three adding the set adding the set of the Three Adding Staping Including Staping Series Three Adding Staping Adding A panel during the three adding the set of the Three Adding Staping Including Staping Series Three Adding Staping Adding A panel during the three adding the set of the Three Adding Staping Including Staping Series Three Adding Staping Adding A panel during the three Adding Staping Including Staping Series Three Adding Staping Adding A panel during the three Adding Staping Including Staping Series Three Adding Staping Adding Staping Including Staping Including Staping Series Three Adding Staping Adding Staping Including Staping Including Staping Including Staping Series Three Adding Staping Adding Staping Adding Staping Including Staping Including Staping Series Three Adding Staping Adding Three Adding Staping Including Staping Including Staping Ser | | | | | | | | | |
| Grup Convoid Convo Selection requirement flowing senses in much flowing regression the high. Green biols, Convoid Selection 1999, 1999 | African Jacana | Actophilornis africanus | Commonly seen spread over the trip | | | | | | |
| Water baken Burner a weinclasse Cold control along in provide (LAP) Cold control along in provide (LAP) Start and LAP an | Black-bellied Bustard | | A total of 7seen during the trip. Thin neck was a good ID mark when seen briefly | | | | | | |
| Stonger Burknus encoge/coss Addit sector on a first before at the first besche at the sector at the first besche at the sector | | | A total of 82 birds seen in small flocks spread over the trip. Great birds | | | | | | |
| Good Science Conclus controls | | | 22-01 common along the river at QENP. | | | | | | |
| Space standard Power Vanishin a process Addie growther a set and mady beines all own for the tra- standard of the transmission of | | | | | | | | | |
| Black Absolute Journal Vanish Local And of 24 bring some ground your these days. All in dy habitas. In dy habitas. Carbon Loganina Vanish Localization Vanish Local | Long-toed Lapwing | | Quite common in pars in the marshes, often on lily leafs. | | | | | | |
| Creamed Layoving Vanishing conclusts Concept Layoving Vanishing conclusts Concept Layoving Vanishing concept Layoving and vanishing of Layoving Lay | | | | | | | | | |
| Aftern Windel Laporol Vasabilits servatures Called in strong with and strong in the strain and the | | | A total of 24 birds seen spread over three days. All in dry habitats. | | | | | | |
| Carpon Chardman samica APOL 160 s.e. no en fick seen very well at close lange from the oral flow set of the | Crowned Lapwing | | 22-01 30 ex. together in one flock at QENP. Great birds. | | | | | | |
| Calib. Prove Charadia became Solid Soli | | | | | | | | | |
| Common Ringed Plever Charactory belacion Scale Sex all Control Scale Sex all Contro Scale Sex all Contro | Caspian Plover | | 24-01 40 ex, in one mock seen very well at close range from the car at M.P., some birds coming into breeding plumage. | | | | | | |
| Three-bandle Ployer | Common Ringed Ployer | | | | | | | | |
| Black window Sile Hinnstrous Calls for mining and out in the winh a maximum (5 to a day (29-31) Her set (20-31) Black window Sile Calls for mining and out in the winh a maximum (5 to a day (29-31) Her set (20-31) Spatial Restaurch Trings exclusion Calls for mining and out in the winh a maximum (5 to a day (29-31) Her set (20-31) Spatial Restaurch Trings exclusion Calls for mining and the set (20-31) Her set (20-31) Spatial Restaurch Trings exclusion 20-31 for an and (20-31) For an and (20-31) Spatial Restaurch Trings exclusion 20-31 for an and (20-31) For an and (20-31) Spatial Restaurch Calls for mining and (20-31) 20-31 for an and (20-31) For an | *Three-banded Ployer | | 21-01 0 ch, at det million and the total a dried out nool along the way supprisingly not seen at other presumed places | Rare breeder Edupt | | | | | |
| Common Studgier Artils Include.com Guine common a studgie Tablatis Guine Studgier Frings a ching of source in this when roots in the transformed in the source in the transformed in the source in the transformed in the source in the s | | | Duite commonly seen spread over the trip with a maximum of 15 on a day (20.01) | itale bieeder Egypt | | | | | |
| Green Sandport Tringa derivaçue Small numbers of salatare bods where noted. Inclusion Stroket Rejdskurk Tringa derivaçues Stroket Negdskurk Inclusion March Sandport Tringa derivaçues Stroket Negdskurk Inclusion March Sandport Tringa derivaçues Stroket Negdskurk Inclusion Black Sandport Calabits Fornaghter Stroket Negdskurk Inclusion Calabits Fornaghter Calabits Fornaghter Stroket Negdskurk Inclusion Inclusion Calabits Fornaghter Calabits Fornaghter Stroket Negdskurk Inclusion Inclusin | | | | | | | | | |
| Spatial Rochank Trong enthopas Bold 7 as. In water planage at a swarp near Entable. Section Spatial Rochank Trong enthopas Trong enthopas Section Mode Strategier Trong enthopas Trong enthopas Section Mode Strategier Trong enthopas Trong enthopas Section Section Strategier Trong enthopas Trong enthopas Section Section Strate Calify Brands 22.01 Z vs. at 0.01 D vs. at a swarp near Entable. Section Section Strate Calify Brands 22.01 Z vs. at 0.01 B vs. at a swarp near Entable. Section Section Section Strate Calify Brands 22.01 Z vs. at 0.01 Section Section Section Section Common Strate Galimage galinage A total of Section Section Section Section Section Section Common Strate Galimage database 22.01 S vs. at an other Section Sec | | | | | | | | | |
| Common Greenshank Trings Benchmans Antel of 12 seam green green from Including March Scholghert Trings Benchmans 2019 and 12 seam green gr | | Tringa erythropus | | | | | | | |
| March Sandpier Tring algoritalis 22.01 2 ex. at 0 GNU a yea, at a same part fieldba. Include Sandpier Include Sandpier Build Sandpier Tring algoritality and the same part of the same pa | | | | | | | | | |
| Wood SandportTring datasedThe commonst tring seen during the trig.Back hald GoldLinks SandportLinks SandportLink SandportCalified SandportLinks SandportLink SandportCalified SandportLinks SandportRefCalified SandportLinks SandportLinks SandportCommon SupeCalified SandportLinks SandportLinks SandportCalified SandportCalified SandportLinks SandportLinks SandportCalified SandportCalified SandportLinks SandportLinks SandportCalified SandportCalified SandportLinks SandportLinks SandportCalified SandportCalified SandportLinks SandportLinks SandportCalified TamCalified SandportSandportLinks SandportLinks SandportCalified TamCalified SandportLinks SandportLinks SandportLinks SandportCalified TamCalified SandportCalified SandportLinks SandportLinks SandportCalified TamCalified SandportCalified SandportLinks Sandport <td></td> <td></td> <td>22-01 2 ex. at QENP + 30-01 2 ex. at a swamp near Entebbe.</td> <td></td> | | | 22-01 2 ex. at QENP + 30-01 2 ex. at a swamp near Entebbe. | | | | | | |
| Black-tailed Godwit Uncost Imoda 29-00-0117 ex in total at valued awangs looking looks Image: Second Se | | | | | | | | | |
| Life Sint Caldia Simula 22-01 2 ex. d CENP + 30-01 10 ex. at a swamp near Entebbe. Image: Caldia Simula Colores Singler Caldia Simula 20-01 1 ex. at Kelse + 30-01 1 ex. at kelse swamp near Entebbe. Image: Caldia Simula Colores Singler Caldia Simula A total of 4 sex in fore sex in the case pain Prevers at all the mark near the river at MP. What a bird Image: Caldia Simula Colores Singler Cursolius terminoliu 20-01 res. geen at Kelse variation of the case pain Prevers at all the mark near the river at MP. What a bird Image: Caldia Simula Colores Preverse Cursolius terminoliu 20-01 res. geen at Kelse variation of the case pain Preverse at all the mark near the river at MP. What a bird Image: Caldia Simula Colores Preverse Cursolius Caldia Simula 20-01 res. geen at Kelse variation of the case pain Preverse at all three Image: Caldia Simula Caldia Simula Chroic concephala circolius Caldia Simula 20-01 conure in birdok on or cald Caldia Simula Image: Caldia Simula Imag | | | 29+30-0117 ex in total at visited swamps looking like ssp: limosa | | | | | | |
| Ruff Philomachus pugnav 27011 ax. at Kösipo + 30015 sx. at a visiel swamp near Entebbe. Image: Common Snipo | Little Stint | | 22-01 2 ex. at QENP + 30-01 10 ex. at a swamp near Entebbe. | | | | | | |
| Common Stype Galinago galinago A total of 4 seen at wet places. Image: Common Stype Common Stype Common Stype English Ployer Plukinus expipuius 24-011 ex. seen at Kidego, nice. views sitting on a dirt track. Image: Common Stype Image: Common S | Curlew Sandpiper | | | | | | | | |
| English Event Event< <th>Event<<th>Event<<th>Event Event Event Event<<th>Event<<th>Event Event Event Event Event Event Event Event Event Event</th></th></th></th></th> | Event< <th>Event<<th>Event Event Event Event<<th>Event<<th>Event Event Event Event Event Event Event Event Event Event</th></th></th></th> | Event< <th>Event Event Event Event<<th>Event<<th>Event Event Event Event Event Event Event Event Event Event</th></th></th> | Event Event Event Event< <th>Event<<th>Event Event Event Event Event Event Event Event Event Event</th></th> | Event< <th>Event Event Event Event Event Event Event Event Event Event</th> | Event Event Event Event Event Event Event Event Event Event | Ruff | Philomachus pugnax | | |
| Temminok's CourserCursorius terminokii78-011 ex. seen al Kidepo, nice views sitting on a dirt trackIncludeRock PrathooleGiarola pratinoka24015 ex. inon Bock lying over the car at QENPIncludeRock PrathooleGiarola nuchalis24015 ex. inon Bock lying over the car at QENPIncludeRock PrathooleChrococophula cirocophula24015 ex. inon Bock lying over the car at QENPIncludeSindrechiled GullAnos genel3401 about 20 seen maed in with the Black-back St. Vagant according to the book but surely notIncludeSindrechiled GullGarus heuglini22011 ex. moed in with the Black-back St. Vagant according to the book but surely notIncludeGalbolid GullGarus heuglini22011 ex. moed in with the Black-st. Vagant according to the book but surely notIncludeGalbolid GrenGelochelido nolotcaOute common at the swamps varied all in wither plannage.IncludeGalbolid GrenGelochelido nolotcaOute common at the swamps varied all in wither plannage.IncludeGalbolid GrenGelochelido nolotcaOute common at ad 27-01 often near houses and in villages.IncludeSpecied PaponStreptopelia capicolaCommony seen on 26 and 27-01 often near houses and in villages.IncludeSpecied PaponStreptopelia capicolaFeoromony seen on 26 and 27-01 often near houses and in villages.IncludeRed-eyed DoveStreptopelia capicolaFeoromony seen at all CAPPIncludeRed-eyed DoveStreptopelia capicolaFeoromony seen at all CAPPIncludeRed-eyed DoveStreptopelia capi | | | | | | | | | |
| Collared Pratinocie Glareola pratinocia 22-015 ex. in one flock flying over the cart M.M. Image: Collare Col | Egyptian Plover | | | | | | | | |
| Rock Praintoole Glareola nuchalis 24-01 2 ex. seem nodely on the rocks in the rest M.P. Grey-headed Gull Chroicocephalus circopallas Stopphalus directopallas Stopphalus directopallas Black-headed Gull Chroicocephalus incorpallas Stopphalus directopallas Stopphalus directopallas Stopphalus directopallas Black-headed Gull Larus fuscer sen fuscus About 3 seen, both at QENP and a swamp near Entebbe. Stopphalus directopallas Stopphalus directopallas Battic Gull Larus fuscer sen fuscus About 3 seen, both at QENP and a swamp near Entebbe. Stopphalus directopallas Vinterwinged Black Term Hydroprope casabia Q-011 5 ex. in the gull IDCS at a visied swamp near Entebbe. Stopphalus directopallas Vinterwinged Black Term Hydroprope casabia Q-011 5 ex. in the gull IDCS at a visied swamp near Entebbe. Stopphalus directopallas Annual vagrant Middle East Speckled Pigeon Columba glueas Columba glueas Columba glueas Columba glueas Annual vagrant Middle East Red-ved Dove Streptopela semicorpola vincead Seem nod an vincead Seem nod an vincead Annual vagrant Middle East Vinceopola semicorpola vincead Seem nod an vincead Seem no | Temminck's Courser | | | | | | | | |
| Grey-headed Guil Chroicocephalus circucephalus 20:12 0 ex. together in a flock at CENP and a sman prear Entebbe. Sinder-billed Guil Larus genei 30:01 about 20 seen mixed in with the Balics + 30:01 3 ex. at a swamp near Entebbe. | | | 22-01 5 ex. in one flock flying over the car at QENP | | | | | | |
| Black-Readed Gull Chroicocephalus roldunuds 30-01 adout 20 seem mixed in with the Black-Readed S. Vagrant according to the book but surely not End Baltic Gull Larus fuscus Say: Lacus About 35 seem, both at QENP and a swamp near Entebbe. Entebbe. Entebbe. Baltic Gull Larus fuscus Say: Lacus About 35 seem, both at QENP and a swamp near Entebbe. Entebbe. Entebbe. Caspian Torn Chroicocephalus roldunuds Out 31 swamp near Entebbe. Entebbe. Entebbe. Caspian Torn Hydrogrape caspia 30-01 5 ex. in the gull bocks at a visited y and a samp near Entebbe. Entebbe. Entebbe. Caspian Torn Hydrogrape caspia 30-01 5 ex. in the gull bock at a visited y and provide y and p | | | 24-01 2 ex. seen nicely on the rocks in the river at M.P. | | | | | | |
| Slender-billed Gull Larus genel 30-01 about 20 seem mixed in with the Balck-headed's. Vagrant according to the book but surely not Image: Construction of the save and the Construction of the Steem Ste | | | 22-01 20 ex. together in a flock at QENP along the river, some summer plumage birds | | | | | | |
| Ballic Gull Larus fuscus ssp: fuscus About 35 seen, both at CENP and a swamp near Entebbe. Mostly adults Image: Comparison of the compar | | | | | | | | | |
| Heugins Guil Larus heugini 22:01 1 ex. mixed in with the Balicy is 30:01 3 ex. at a swamp near Entebbe. Image: Caspia is 30:01 5 ex. in the guil flocks at a swamp swifed all in wither plumage. Caspian Tern Hydroprogne caspia S0:01 5 ex. in the guil flocks at a swither plumage. Annual vagrant Middle East African Skimmer Rynchops flavirostris S2:01 100+ ex. in one big flock along the river + 24-01 100 ex. in one big flock at a sandbar in the river, also seen feeding. Annual vagrant Middle East Red-eved Dove Streptopela semitorguata Seen daily in low number, guite big doves Annual vagrant Middle East Red-eved Dove Streptopela semitorguata Seen daily in low number, guite big doves Image: Seen and heard guite commonet 4 dw ding the tip and seen daily Image: Seen and heard guite commonet 4 dw ding dwes Vinaceous Dove Streptopela vinacea Seen and heard guite commonet 4 dw ding the tip Image: Seen and heard guite commonet 4 dw ding the tip Biack-bild Wood-Dove Turtur alyssinicus A total of 15 seen spread over several days agnet dwe tip Image: Seen and heard guite commonet 4 dwe dwe dwe and aly in flock Image: Seen and heard guite commonet 4 dwe dwe dwe and and total defen Image: Seen and heard guite commonet 4 dwe ads and band total total flocks at a similar total flocks at a similar total dwe addit a seen on all dwe addit and total dwe addit and total additot addit dwe addit addit ad | Sierider-billed Gull | Larus fuscus con: fuscus | So-of about 20 seen mixed in with the black-headed s. vagiant according to the book but surely not | | | | | | |
| Gull-bilder Term Gelocheidon nicica Quite common at the swamps visited all in winter plumage. Intervention Caspian Term Hydroprogne caspia 30-01 5 ex, in the gull flocks at a visited swamp near Entebbe. Intervention White-winged Black Term Chidonias leucopterus The commonest tern present at all marshes all in winter plumage. Annual vagrant Middle East Specked Pigeon Columba guinea Commonly seen on 26 and 27-01 often near houses and in villages. Annual vagrant Middle East Red-yeed Dove Streptopelia capicola The commonest dove during the trip and seen daily Intervention Intervention Vinaceous Dove Streptopelia senegalensis 22-01 15 ex, seen at CENP Intervention Intervention Black-bilde Wood-Dove Tutur alyssinicus A total of 15 seen spread over several days during the trip Intervention Intervention Black-bilde Wood-Dove Tutur afrer 21-02 2 ex, at CENP Intervention Intervention Green Pageon Tretro calvus A total of 8 seen on several days spread over the try usually in flight. Green Pageon Intervention African Stimutor 21-01 2 ex. in total an CENP. Interventrevention Intervention <td></td> <td>Larus houglini</td> <td></td> <td></td> | | Larus houglini | | | | | | | |
| Caspian Tern Hydropropie caspia 30-01 5 ex. in the gull flocks at wisited swamp near Entebbe. Including Vinte-winged Black Tern Chilonias leucoryteux The commonest tern present at all markes all in winter plumage. Antican Skimmer Rynchops flavirostris 22-01 100+ ex. in one big flock along the river + 24-01 100 ex. in one big flock at a sandbar in the river, also seen feeding. Annual vagrant Middle East Red-eved Dove Streptopelia semitorquata Seen daily in low number, quite big doves Including | Gull-billed Terp | | | | | | | | |
| White-winged Black Term Childonias leucopterus The commonest term present at all marshes all in winter plumage. African Silummer Rynchops flavirostris 22:01 100+ ex. in one big flock at a sandbar in the river , also seen feeding. Annual vagrant Middle East Speckled Pigeon Columba guinea Commonly seen on 26 and 27:01 other en river + 24:01 too ex. in one big flock at a sandbar in the river , also seen feeding. Annual vagrant Middle East Ring-necked Dove Streptopelia capicola The commonest dove during the trip and seen daily. Image: Common is and the and guile commonly at M Pad Kidepo. Image: Common is a serie and peard guile commonly at M Pad Kidepo. Image: Common is a serie and peard guile commonly at M Pad Kidepo. Image: Common is a serie and peard guile commonly at M Pad Kidepo. Image: Common is a serie and peard guile commonly at M Pad Kidepo. Image: Common is a serie and peard guile commonly at M Pad Kidepo. Image: Common is a serie and peard guile commonly at M Pad Kidepo. Image: Common is a serie and peard guile commonly at M Pad Kidepo. Image: Common is a serie and peard guile commonly at M Pad Kidepo. Image: Common is a serie and peard guile commonly at M Pad Kidepo. Image: Common is a serie and peard guile serie and and is in the mater a serie and peard guile serie | | | | | | | | | |
| "Affician Skimmer Rynchops flavirostris 22-01 100+ ex. in one big flock along the river + 24-01 100 ex. in one big flock at a sandbar in the river, also seen feeding. Annual vagrant Middle East Red-eved Dove Streptopelia semitorguata Seen daily in low number, quite big doves Image: Common y seen on 28 and 27-01 of the near houses and in villages. Image: Common y seen on 28 and 27-01 for x, seen for ally in low number, quite big doves Image: Common y seen on 28 and 27-01 for x, seen and heard guite commonly at M.P and Kidepo. Image: Common y seen on 28 and 27-01 for x, seen and heard guite commonly at M.P and Kidepo. Image: Common y seen and heard guite commonly at M.P and Kidepo. Image: Common y seen and CENP Image: Common y seen and CENP< | | | | | | | | | |
| Speckled Pigeon Columba guinea Commonly seen on 26 and 27-01 often near houses and in villages. Red-yeed Dove Streptopelia seniorquata Seen daily in ow number, quite big doves Image and the properior of the properis of the properior of the properis of the properior of t | | | 22-01 100+ ex, in one big flock along the river + 24-01 100 ex, in one big flock at a sandbar in the river, also seen feeding. | Annual vagrant Middle East | | | | | |
| Red-eyed Dove Streptopelia semitorguata Seen daily in low number, quite big doves Ring-necked Dove Streptopelia vinacea Seen and heard quite commonity at M.P and Kidepo. Incomposition Vinaceous Dove Streptopelia vinacea Seen and heard quite commonity at M.P and Kidepo. Incomposition Black-billed Wood-Dove Turtur afer 21:22-01 12 ex. seen at QENP. Incomposition Black-billed Wood-Dove Turtur afer 21:22-01 2 ex. at ICENP. Incomposition Artican Green Pigeon Turtur afer 21:22-01 2 ex. at ICENP. Incomposition Artican Green Pigeon Turtur afer 21:22-01 2 ex. at ICENP. Incomposition Grey Parot Poitschus entitacus 21:01 3 ex. in flight a dealing) at Mabamba Swamp + 30:01 1 ex. in flight nover the visited swamp near Entebbe. Incomposition Grey Tardo Conythacoldes leucogaster 21:01 1 ex. in flight along the way + 30:01 2 ex. a pair. Incomposition White-belied Go-away-bird Conythaxoldes leucogaster 26:01 1 ex. is flight along the way + 30:01 2 ex. a pair. Incomposition Actica Dive Actica | Speckled Pigeon | Columba guinea | Commonly seen on 26 and 27-01 often near houses and in villages. | | | | | | |
| Ring-necked Dove Streptopelia capicola The commonest dove during the trip and seen daily Image and the trip and seen daily Vinaceous Dove Streptopelia senegatensis 22-0115 ex. seen at QENP Image and the trip Image and the trip Blue-spotted Wood-Dove Turtur abysinicus A total of 15 seen spread over several days during the trip Image and the trip Rinch Died Wood-Dove Turtur abysinicus A total of 15 seen spread over several days during the trip Image and the trip Rinch Orden Turtur abysinicus A total of 15 seen spread over several days during the trip Image and the trip Rinch Orden Turtur abysinicus A total of 8 seen on several days during the trip auslay in flight. Image and the trip and the trip and the trip and seen and the trip and seen and several days during the trip and seen and several days during the trip and tr | | | | | | | | | |
| Vinaceous Dove Streptopelia vinacea Seen and heard quite commonly at M.P and Kidepo. Interpolation Black-billed Wood-Dove Turtur abyssinicus A total of 15 seen spread over several days during the trip Interpolation Interpolation Black-billed Wood-Dove Turtur abyssinicus A total of 15 seen spread over several days during the trip Interpolation Interpolation Black-bolled Obove Turtur abyssinicus A total of 8 seen on several days spread over the trip usually in flight. Interpolation Interpolation Arrican Green Pigeon Tretron calvus A total of 8 seen on several days spread over the trip usually in flight. Intight 28-01 2 ex. in flight 16 and calling at Mabamba Swamp - 30-01 1 ex. in flight not several days spread over the trip usually in flight. Intight 28-01 2 ex. apair. Revers (Brown) Parrot Policephalus meyeri 27-01 4 ex. in flight day calling al Mabamba Swamp - 30-01 1 ex. in flight and parton and to the way + 28-01 2 ex. apair. Interpolation Interpolation Ross Turaco Musophaga rossae 28-01 1 ex. in flight and preched (while belied). With obvious white wing spots, the black on the upperparts still pale Interpolation Diederic Cuckoo Chrytaevocia callus 28-01 1 mm. seen in flight and perched (while belied). With obvious white wing spots, the black on the upperparts still pale< | | | The commonest dove during the trip and seen daily | | | | | | |
| Laughing Dove Streptopelia senegalensis 22:01 15 ex. seen at QENP Black-billed Wood-Dove Turtur abyssinicus A total of 15 exen spread over several days during the trip. Blue-spotted Wood-Dove Turtur ympanistria 21:422-01 3 ex. in total at QENP. Tambourine Dove Turtur ympanistria 21:22-01 2 ex. at QENP in light + 28-01 2 ex. in small forest at Mt Elgon African Green Pigeon Theron calvus A total of 8 seen on several days spread over the trip usually in flight. Grey Parrot Poicephalus meyeri 27:01 4 ex. in flight (and calling) at Mabamba Swamp + 30-01 1 ex. in flight new return the visited swamp near Entebbe. Grey Rarot Poicephalus meyeri 27:01 4 ex. in flight (and calling) at Mabamba Swamp + 30-01 1 ex. in flight at Spread over the trip usually in flight. Ross's Turaco Corythaeola cristata 21:01 2 ex. seen in pairs along the way + 30-01 2 ex. a pair. Ross's Turaco Musophaga rossae 23:01 1 ex. in flight along the way + 28-01 2 ex. a pair. Ross's Turaco Corythaeola ristata 21:01 2 ex. seen very well at Mt Elgon White-belled Go-away-bird Corythaeola ristata 29:01 1 mae. seen in flight and perched (white belled). With obvious white wing spots, the black on the upperparts still pale Blue-beaded Coucal Centropus monachus 29:01 1 male seen well adong the way. Singing. T | | | | | | | | | |
| Black-billed Wood-Dove Turtur abyssinicus A total of 15 seen spread over several days during the trip Blue-spotted Wood-Dove Turtur fer 21+22-01 3 ex. in total at CENP. Tambourine Dove Turtur trympanistria 21:22-01 3 ex. in total at CENP. African Green Pigeon Treron calvus A total of 8 seen on several days spread over the trip usually in flight. Grey Parrot Psittacus erithacus 21-01 3 ex. in flight (and calling) at Mabamba Swamp + 30-01 1 ex. in flight over the visited swamp near Entebbe. Meyer's (Brown) Parrot Poicephalus meyerid 27-01 4 ex. at flight (asmal flock) at Kidepo. Great Blue Turaco Convthaeda cristata 21-01 0 ex. seen in pairs along the way + 30-01 2 ex. a pair. Ross's Turaco Musophaga rossae 23-01 1 ex. in flight along the way + 30-01 2 ex. apair. Ross's Turaco Musophaga rossae 23-01 1 ex. in flight along the way + 30-01 2 ex. apair. Lacobin Cuckoo Convthakidose leucogaster 26-01 3 ex. seen well along the way + 30-01 2 ex. apair. Datobin Cuckoo Clamator iacobinus 29-01 1 twin tidge. Secon experimental distribution of the | Laughing Dove | Streptopelia senegalensis | 22-01 15 ex. seen at QENP | | | | | | |
| Blue-spotted Wood-Dove Turtur afer 21+22-01 3 ex. in total at QENP. Tambourine Dove Turtur ympanistria 21,22-01 2 ex. at QENP. In flight 43-01 2 ex. in small forest at Mt Elgon African Green Pigeon Treron calvus A total of 8 seen on several days spread over the trip usually in flight. Grey Parrot Policephalus meyeri 27-01 4 ex. in flight (and calling) at Mabamba Swamp + 30-01 1 ex. in flight over the visited swamp near Entebbe. Meyer's (Brown) Parrot Policephalus meyeri 27-01 4 ex. in flight and calling) at Mabamba Swamp + 30-01 1 ex. in flight and period Great Blue Turaco Corythaeola cristata 21-01 2 ox. seen in pairs along the way + 30-01 2 ex. seen very well at Mt Elgon White-bellied Go-away-bird Corythaeola cristata 21-01 1 ex. in flight and perched (white bellied). With obvious white wing spots, the black on the upperparts still pale Jacobin Cuckoo Charysocccyx caprius 23-01 1 man. seen in flight and perched (white bellied). With obvious white wing spots, the black on the upperparts still pale Blue-headed Coucal Centropus superciliosus Common in the dry area's during the trip. African Scops Owl Otus senegalensis 26-01 1 ex. calling from a tree in almost davilght and later on showing well. Swamp Nightjar Caprimulgus natalensis 24-01 2 ex. seen well were score (lack of rains?). Summer br | Black-billed Wood-Dove | Turtur abyssinicus | A total of 15 seen spread over several days during the trip | | | | | | |
| African Green Pigeon Treron calvus A total of 8 seen on several days spread over the trip usually in flight. Grey Parot Poitcous erithacus 21-01 3 ex. in flight (and calling) at Mabamba Swamp + 30-01 1 ex. in flight over the visited swamp near Entebbe. | | Turtur afer | 21+22-01 3 ex. in total at QENP. | | | | | | |
| Grey Partot Paitacus erithacus 21-01 3 ex. in flight (and caling) at Mabamba Swamp + 30-01 1 ex. in flight over the visited swamp near Entebbe. Meyer's (Brown) Parrot Poicephalus meyeri 27-01 4 ex. in flight (a mall flock) at Kidepo. | | Turtur tympanistria | 21_22-01 2 ex. at QENP in flight + 28-01 2 ex. in small forest at Mt Elgon | | | | | | |
| Meyers (Brown) Parot Poicephalus meyeri 27-01 4 ex. in flight (a small flock) at Kidepo. Great Blue Turaco Corythaeola cristata 21-01 2 ex. seen in pairs along the way + 30-01 2 ex. a pair. Ross's Turaco Musophaga rossae 23-01 1 ex. in flight along the way + 28-01 2 ex. seen very well at Kidepo. Eastern Plantain-eater Sayomis phoebe Commonly seen spread over the trip in the south of Uganda. Jacobin Cuckoo Clamator jacobinus 29-01 1 mail seen in flight and perched (white bellied). With obvious white wing spots, the black on the upperparts still pale Diederic Cuckoo Chrysococcyx caprius 23-01 1 ex. in flight and perched (white bellied). With obvious white wing spots, the black on the upperparts still pale Blue-headed Coucal Centropus supercilious 30-01 2 ex. seen very well from the boat at one of the swamps near Entebbbe. Rain migrant Yemen White-browed Coucal Centropus supercilious Common in the dry area's during the trip. Image at the dry area's during the trip. African Scops Owl Otus sengalensis A total of 5 birds heard and seen. By ear the most common nightar in Uganda. Image at the most common nightar in Uganda. Scaree Swift Schoutedenapus myoritius 24-01 2 ex. and f. seen in flight and in the hand while being ringed by Malcolm. Male with white in tail and wings. Summ | | | | | | | | | |
| Great Blue Turaco Corythaeola cristata 21-01 20 ex. seen in pairs along the way + 30-01 2 ex. a pair. Ross's Turaco Musophaga rossae 23-011 ex. in flight along the way + 28-01 2 ex. seen very well at Mt Elgon | | | | | | | | | |
| Ross's Turaco Musophaga rossae 23-011 e.x. in light along the way + 28-012 e.x. seen very well at Mt Elgon Image: Comparison of the second and the second a | | | | | | | | | |
| White-bellied Go-away-bird Corythatixoides leucogaster 28-01 3 ex. seen well at Kidepo. Eastern Plantain-eater Sayomis phoebe Commonly seen spread over the trip in the south of Uganda. Image: Sayomis phoebe Image: Sayomis phoebee Image: Sayomis phoebee Image: Sayomis phoebee Image: Sayomis phoebee < | | | 21-01 z0 ex. seen in pairs along the way + 30-01 z ex. a pair. | | | | | | |
| Eastern Plantain-eater Sayomis phoebe Commonly seen spread over the trip in the south of Uganda. Image: Commonly seen spread over the trip in the south of Uganda. Image: Commonly seen spread over the trip in the south of Uganda. Image: Commonly seen spread over the trip in the south of Uganda. Image: Commonly seen spread over the trip in the south of Uganda. Image: Commonly seen spread over the trip in the south of Uganda. Image: Commonly seen spread over the trip in the south of Uganda. Rain migrant Yemen Blue-headed Coucal Centropus supercitiosus 30-01 1 male seen well along the way. Singing. They where scarce (lack of rains?). Rain migrant Yemen Blue-headed Coucal Centropus supercitiosus 26-01 1 ex. calling from a tree in almost daylight and later on showing well. Image: Common in the dry area's during the trip. Image: Common in the dry area's during the trip. African Scops Owl Otus senegalensis 26-01 1 ex. calling from a tree in almost daylight and later on showing well. Image: Common in the dry area's during the trip. Image: Common in the dry area's during the trip. Image: Common in the dry area's during the trip. Image: Common in the dry area's during the trip. Image: Common in tree dry area's during the trip. Image: Common in tree dry area's during the trip. Image: Common in tree dry area's during the trip. Image: Common in tree dry area's during the trip. Image: Common in tree dry area's during the trip. Ima | | Iviusophaga rossae | 25-01 T ex. In light along the way + 26-01 2 ex. seen very well at Mt Eigon | | | | | | |
| Jacobin Cuckoo Clamator jacobinus 29-01 1 imu, seen in flight and perched (white bellied). With obvious white wing spots, the black on the upperparts still pale *Diederic Cuckoo Chrysococcyx caprius 23-01 1 male seen well along the way. Singing. They where scarce (lack of rains?). Rain migrant Yemen Blue-headed Coucal Centropus superciliosus 30-01 2 ex. seen very well from the boat at one of the swamps near Entebbbe. White-browed Coucal Centropus superciliosus Common in the dry area's during the trp. African Scops Owl Otus sengalensis 26-01 1 ex. calling from a tree in almost daylight and later on showing well. Swamp Nightjar Caprimulgus inornatus 24-01 2 ex. m.and f. seen in flight and in the hand while being ringed by Malcolm. Male with white in tail and wings. Summer br. Sa A. +Yemen Scarce Swift Schoutednapus myorilus 24-01 3 ex. flying above a swamp visited near Entebbe. Common Swift Apus agfinis The commonest swift recorded also in flocks White-rumped Swift Apus affinis The commonist does in flock of hirundine at QENP, all features seen except the white at the secondary's Little Swift Apus affinis The common set does of the trip more in the north of Uganda | | | | | | | | | |
| "Diederic Cuckoo Chrysococcyx caprius 23-011 male seen well along the way. Singing. They where scarce (lack of rains?). Rain migrant Yemen Blue-headed Coucal Centropus monachus 30-012 e.x. seen very well from the boat at one of the swamps near Entebbbe. How headed Coucal Centropus superciliosus Common in the dry area's during the trip. How headed Coucal Centropus superciliosus Common in the dry area's during the trip. How headed Coucal Centropus superciliosus Common in the dry area's during the trip. How headed Coucal Centropus superciliosus Common in the dry area's during the trip. How headed Coucal Centropus superciliosus Common in the dry area's during the trip. How headed Coucal Centropus superciliosus Common in the dry area's during the trip. How headed Coucal Centropus superciliosus Common in the dry area's during the trip. How headed Coucal Centropus superciliosus Common Signa during the dry area's during the trip. How headed Coucal Centropus superciliosus Centropus during the dry area's during the trip. Centropus during the dry area's during the trip. How headed Coucal Centropus during the dry area's dury dry area's dury area's during the dry area's dury area's during | | | | | | | | | |
| Blue-headed Coucal Centropus monachus 30-01 2 ex. seen very well from the boat at one of the swamps near Entebbbe. White-browed Coucal Centropus superciliosus Common in the dry area's during the trip. | | | | Rain migrant Yemen | | | | | |
| White-browed Coucal Centropus superciliosus Common in the dry area's during the trip. African Scops Owl Otus senegalensis 26-01 1 ex. calling from a tree in almost daylight and later on showing well. Stars Scops Owl Swamp Nightjar Caprimulgus natalensis A total of 5 birds heard and seen. By ear the most common nightjar in Uganda. Stars Scops Owl "Plain Nightjar Caprimulgus natalensis A total of 5 birds heard and seen. By ear the most common nightjar in Uganda. Summer br. Sa A. +Yemen Scarce Swift Schoutedenapus myopilus 24-01 2 ex. nand f. seen in light and in the hand while being ringed by Malcolm. Male with white in tail and wings. Summer br. Sa A. +Yemen Scarce Swift Schoutedenapus myopilus 20-01 3 ex. filying above a swamp visited near Entebbe. Itel Swift Common Swift Apus aglinis The commonest swift recorded also in flocks Itel Swift White-rumped Swift Apus caffer 22-01 1 seen very well in a flock of hirundine at QENP, all features seen except the white at the secondary's Itel Swift African Palm-Swift Coysiurus parvus Quite commonly seen on most days of the trip more in the north of Uganda Schoutedenapus Speckled Mousebird Colius striatus Commonly seen on most days of the trip in small flocks | Blue-headed Coucal | | 30-01 2 ex seen your well from the hoat at one of the swames near Enterbaha | | | | | | |
| African Scops Owl Otus senegalensis 26-01 1 ex. calling from a tree in almost daylight and later on showing well. Swamp Nightjar Caprimulgus natalensis A total of 5 birds heard and seen. By ear the most common nightjar in Uganda. Summer br. Sa A. +Yemen Plain Nightjar Caprimulgus inornatus 24-01 2 ex. m.and f. seen in flight and in the hand while being ringed by Malcolm. Male with white in tail and wings. Summer br. Sa A. +Yemen Scaree Swift Schoutedenapus myoptilus 28-02 2 ex. at M Elgon, smallish common looking like Swift. ID based on the park's checklist Summer br. Sa A. +Yemen Common Swift Apus agins 30-01 3 ex. flying above a swamp visited near Entebbe. Ittle Swift Little Swift Apus affinis The commonest swift recorded also in flocks Itel Swift White-rumped Swift Apus caffer 22-01 1 seen very well in a flock of hirundine at QENP, all features seen except the white at the secondary's African Palm-Swift Cypsiurus parvus Quite commonly seen on most days of the trip more in the noth of Uganda Speckled Mousebird Colis striatus Commonly seen spread over the trip in small flocks | White-browed Coucal | | | | | | | | |
| Swamp Nightjar Caprimulgus natalensis A total of 5 birds heard and seen. By ear the most common nightiar in Uganda. 'Plain Nightjar Caprimulgus inornatus 24-01 2 ex. m.ad f. seen in flight and in the hand while being ringed by Malcolm. Male with white in tail and wings. Summer br. Sa A. +Yemen Scarce Swift Schoutedenapus myoptilus 28-02 2 ex. at Mt Elgon, smallish common looking like Swift. ID based on the park's checklist Summer br. Sa A. +Yemen Common Swift Apus apus 30-01 3 ex. flying above a swamp visited near Entebbe. Ittles Swift Apus affinis The commonest swift recorded also in flocks Ittles Swift Apus affinis The commonest swift recorded also in flocks Ittles and the trip more in the north of Uganda Ittles and the trip more in the north of Uganda Stander barby secondary's Ittles and the trip more in the north of Uganda Ittles and the trip more in the north of Uganda Ittles and the trip more in the north of Uganda Ittles and the trip more in the north of Uganda Ittles and the trip more in the north of Uganda Ittles and the trip more in the north of Uganda Ittles and the trip more in the north of Uganda Ittles and the trip more in the north of Uganda Ittles and the trip more in the north of Uganda Ittles and the trip more in the north of Uganda Ittles and the trip more in the north of Uganda Ittles and the trip more in the north of Uganda I | African Scops Owl | | | | | | | | |
| *Plain Nightjar Caprimulgus inornatus 24-01 2 ex. mand f. seen in flight and in the hand while being ringed by Malcolm. Male with white in tail and wings. Summer br. Sa A. +Yemen Scarce Swift Schoutedenapus myoptilus 28-02 2 ex. at Mt Elgon, smallish common looking like Swift. ID based on the park's checklist Malcolm. Male with white in tail and wings. Summer br. Sa A. +Yemen Common Swift Apus agus 30-01 3 ex. flying above a swamp visited near Entebbe. Little Swift Apus affinis The commonest swift recorded also in flocks White-rumped Swift Apus caffer 22-01 1 seen very well in a flock of hirundine at QENP, all features seen except the white at the secondary's African Palm-Swift Cypsiurus parvus Quite commonly seen on most days of the trip more in the north of Uganda Speckled Mousebird Colius striatus Commonly seen ayread over the trip in small flocks | | | | | | | | | |
| Scarce Swift Schoutedenapus myoptilus 28-02 2 ex. at ME Elgon, smallish common looking like Swift. ID based on the park's checklist Common Swift Apus apus 30-01 3 ex. flying above a swamp visited near Entebbe. | | Caprimulgus inornatus | 24-01 2 ex, m.and f, seen in flight and in the hand while being ringed by Malcolm. Male with white in tail and wings. | Summer br. Sa A. +Yemen | | | | | |
| Common Swift Apus apus 30-01 3 ex. flying above a swamp visited near Enterble. Little Swift Apus affinis The commonest swift recorded also In flocks White-rumped Swift Apus caffer 22-01 1 seen very well in a flock of hirundine at QENP, all features seen except the white at the secondary's African Palm-Swift Cypsiurus parvus Quite commonly seen on most days of the trip more in the north of Uganda Speckled Mousebird Collus striatus Commonly seen or and over the trip in small flocks | Scarce Swift | | 28-02 2 ex. at Mt Elgon, smallish common looking like Swift. ID based on the park's checklist | | | | | | |
| Little Swift Apus affinis The commonest swift recorded also in flocks White-rumped Swift Apus caffer 22-01 1 seen very well in a flock of hirundine at QENP, all features seen except the white at the secondary's African Palm-Swift Cypsiurus parvus Quite commonly seen on most days of the trip more in the north of Uganda Speckled Mousebird Colius striatus Commonly seen spread over the trip in small flocks | Common Swift | Apus apus | 30-01 3 ex. flying above a swamp visited near Entebbe. | | | | | | |
| African Palm-Swift Cypsiurus parvus Quite commonly seen on most days of the trip more in the north of Uganda Speckled Mousebird Colius striatus Commonly seen spread over the trip in small flocks | | | The commonest swift recorded also in flocks | | | | | | |
| Speckled Mousebird Colius striatus Commonly seen spread over the trip in small flocks | | | | | | | | | |
| Speckled Mousebird Colius striatus Commonly seen spread over the trip in small flocks | African Palm-Swift | Cypsiurus parvus | Quite commonly seen on most days of the trip more in the north of Uganda | | | | | | |
| Blue-naped Mousebird Urocolius macrourus A bit less common and more seen in the north, also in little flocks. | | Colius striatus | Commonly seen spread over the trip in small flocks | | | | | | |
| | Blue-naped Mousebird | Urocolius macrourus | A bit less common and more seen in the north, also in little flocks. | | | | | | |

| Malachite Kingfisher | Alcedo cristata | Quite commonly occur during the trip, the common of Vinglisher | |
|---|---|---|---------------------------|
| African Pygmy Kingfisher | Ispidina picta | Quite commonly seen during the trip, the commonest Kingfisher. 22-01 1 ex. at QENP + 24-01 4 ex. (one in the hand, ringed) at M.P., blue crown. | |
| Grey-headed Kingfisher | Halcyon leucocephala | Seen on three days of the trip with the most on 24-01 (common on that day) | |
| Woodland Kingfisher | Halcyon senegalensis | A total of 10 seen spread over the trip | |
| Striped Kingfisher | Halcyon chelicuti | A total of 6 seen spread over the trip | |
| Giant Kingfisher | Megaceryle maxima | 29-01 1 ex. in flight over the road. Unmistakably. | |
| Pied Kingfisher | Ceryle rudis | Very commonly seen along the rivers and by far the most common kingfisher. | |
| Red-throated Bee-eater | Merops bulocki | 24-01 commonly seen along the river at M.P. | |
| Little Bee-eater | Merops pusillus | 22-01 2 ex. at QENP. | |
| Blue-breasted Bee-eater | Merops variegatus | 21-01 commonly seen in Mabamba Swamp + 30-01 commonly seen in the two visited swamps near Entebbe. | |
| Cinnamon-chested Bee-eater | Merops oreobates | 28-01 10 ex. at Moroto. Good views | |
| Swallow-tailed Bee-eater | Merops hirundineus | 26-02 2 ex. at Kidepo, nice views, with good views of the tail | |
| White-throated Bee-eater | Merops albicollis | A total of 53 seen in the lowlands (often near water) during the trip | |
| Blue-cheeked Bee-eater | Merops persicus | 22-01 15 ex. at QENP (along the river) + 24-01 3 ex. at M.P. | |
| European Bee-eater | Merops apiaster | 22-01 2 ex. seen near the place we spent the night at QENP | |
| Abyssinian Roller | Coracias abyssinicus | Commonly seen in the north. | |
| *Lilac-breasted Roller | Coracias caudatus | 21-01 15 ex. seen on the wire's along the way, strangely only seen on this day. | Vagrant Yemen and Oman |
| Broad-billed Roller | Eurystomus glaucurus | A total of 14 seen, mostly in the south. | |
| Rufous-crowned Roller | Coracias naevia | About 3 seen on the wire's in the north. | |
| Eurasian Hoopoe | Upupa epops | A total of 15 seen spread over several days during the trip | |
| Green Wood-Hoopoe | Phoeniculus purpureus | 26-01 2 ex. at Kidepo. Very long tails. | |
| Abyssinian Scimitarbill | Rhinopomastus minor | 27-01 1 ex. seen while waiting for a car repair near Moroto. | |
| Red-billed Hornbill | Tockus erythrorhynchus | A total of 7 birds seen in the north of Uganda. | |
| Jackson's Hornbill | Tockus jacksoni | 26-011 ex. seen well at Kidepo | |
| African Pied Hornbill | Tockus fasciatus | 21-1 about 10 seen in pairs along the way. Medium sized hornbill | |
| Hemprich's Hornbill | Tockus hemprichii | 28-01 2 ex. at Moroto near the hotel found on call. | |
| African Grey Hornbill Black and white assgued Hernbill | Tockus nasutus | Seen at four days of the trip and most common in the northern part of the trip. | |
| Black-and-white-casqued Hornbill | Bycanistes subcylindricus | 21-01 2 ex. a pair along the way + 30-01 1 ex. seen well along the way. | |
| Abyssinian Ground Hornbill | Bucorvus abyssinicus | A total of 10 birds seen often in pairs spread over the trip | 1 |
| Red-and-yellow Barbet D'Arnaud's Barbet | Trachyphonus erythrocephal | 26-1 3 ex. at several places in the north (Kidepo), great views of this rare sp. We where surprised to see them that easy 26-01 1 ex. at Kidepo 28-01 2 ex. at Moroto | 1 |
| Grey-throated Barbet | Trachyphonus darnaudii Gymnobucco bonapartei | 23-01 2 ex. in a tree coming out of a patch of forest along the way. | 1 |
| Yellow-fronted Tinkerbird | Pogoniulus chrysoconus | 22-01 z ex. at a tee coming out of a patch of forest along the way. | |
| Black-billed Barbet | Lybius guifsobalito | 22-01 FBX at UECKPT. 23-01 Fex, somewhere along the way. A small barbet. | |
| Double-toothed Barbet | Lybius bidentatus | 23-01 2 ex. a pair, along the way to M.P. | |
| Greater Honeyguide | Indicator indicator | 2 birds seen in small orchards on 26 + 28-01 | |
| Nubian Woodpecker | Campethera nubica | A total of 5 seen in the north of the country | |
| Cardinal Woodpecker | Dendropicos fuscescens | 28-01 4 s. at Moroto | |
| African Grey Woodpecker | Dendropicos goertae | 27-01 1 ex. seen quite well along the way. A quite big woodpecker | |
| Black-and-white Shrike-flycatcher | Bias musicus | 30-01 f ex. seen while getting into the boats at a swamp near Entebbe. | |
| Brown-throated Wattle-eye | Platysteira cyanea | 22-01 Fex. at QENP + 28-01 Fex. at Moroto. | |
| Chinspot Batis | Batis molitor | 28-01 1 ex. at a small forest patch near Mt Elgon | |
| Pink-footed Puffback | Dryoscopus angolensis | 28-01 2 ex, a pair at a small forest patch near Mt Elgon | |
| Black-crowned Tchagra | Tchagra senegalus | A total of 5 seen spread over the trip | |
| Brown-crowned Tchagra | Tchagra australis | 28-01 2 ex. at a morning walk behind Moroto | |
| Lühder's Bush-Shrike | Laniarius luehderi | 28-01 1 ex. at a small forest patch near Mt Elgon. What a bird!, the mother all Bush-Shrikes by looks. | |
| Black-headed Gonolek | Laniarius erythrogaster | 22-01 3 e. at QENP | |
| Papyrus Gonolek | Laniarius mufumbiri | A total of 6 seen (and heard) at papyrus swamps in the lowlands. | |
| Orange-breasted Bush-Shrike | Chlorophoneus sulfureopect | u 24-01 1 ex. at M.P. | |
| Purple-throated Cuckoo-shrike | Campephaga quiscalina | 28-01 1 ex. in a little patch of forest at Mt Elgon | |
| Daurian Shrike | Lanius isabellinus | 24-01 3 ex. near the river at M.P. | |
| *Grey-backed Fiscal | Lanius excubitoroides | Common throughout the trip, nice birds very long tailed | Breeder Mali + Sudan |
| Common Fiscal | Lanius collaris | 23-01 1 ex. seen on the wire along the way, black back and smaller. | |
| Woodchat Shrike | Lanius senator | 24-01 4 ex. spread over the day at M.P + 26-01 1 ex. at Kidepo. | |
| Yellow-billed Shrike | Corvinella corvina | 26+27-01 common at Kidepo. | |
| Northern White-crowned Shrike | Eurocephalus rueppelli | Commonly seen in the north. | |
| African Golden Oriole | Oriolus auratus | 26-01 1 ex. at Kidepo. | |
| Fork-tailed Drongo | Dicrurus adsimilis | A total of 4 birds seen spread over the trip usual at cultivated sites. 28-01 3 ex. during around Mt Elgon. | |
| African Paradise-Flycatcher | Terpsiphone viridis | 28-01 3 ex. ouring around int Eigon. | |
| Piapiac Biod Crow | Ptilostomus afer | Common in the north behaving like an Oxpecker. | |
| Pied Crow | Corvus albus | Common in the north, mainly in the cities | |
| Fan-tailed Raven | Corvus rhipidurus | Seen daily in the north, often in pairs near cliffs. 21-01 1 ex seen in a small town near Entebbe on the roof of a house. Huge bird with a huge swollen bill | |
| White-naped Raven Red-winged Lark | Corvus albicollis Mirafra hypermetra | 21-01 1 ex seen in a smail town near Enterboe on the roor of a nouse. Huge bird with a huge swollen bill 26-01 5 ex. at Kidepo, in song while perched. A very big rufous lark singing from bushes. | 1 |
| Red-winged Lark Rufous-naped Lark | Mirafra africana | 22-01 5 ex. at kidepo, in song while perched. A very big rurous lark singing from bushes. | 1 |
| Flappet Lark | Mirafra rufocinnamomea | Common throughout also on Kidepo (where not mapped in the book) | 1 |
| Red-capped Lark | Calandrella cinerea | 22-01 2 ex. seen very well close to the car. Like a red capped Short-toed Lark. | 1 |
| Brown-throated (Plain) Martin | Riparia paludicola | 22-01 z ex. seen very well in light at the river at QEUPPL ShortNeed Lark. | |
| Sand Martin | Riparia riparia | Common throughout the trip. In large flocks often near water. | |
| Rock Martin | Ptyonoprogne fuligula | 26-01 3 ex. at Apoka lodge, Kidepo | |
| Barn Swallow | Hirundo rustica | Common throughout the trip, maybe already migrants (many males) | |
| *Ethiopian Swallow | Hirundo aethiopica | 29-01 5 ex. on the wire's at a food stop driving back to Kampala + 30-01 2 ex. with Barn Sw. at a Swamp near Entebbe | Extreme vagrant Israel |
| Angola Swallow | Hirundo angolensis | 23-01 f ex. seen well somewhere along the way to M.P., smoky underparts. | |
| Wire-tailed Swallow | Hirundo smithii | 22-01 f ex. at QENP, + 24-01 5 ex. at M.P, often solitaire and near water. | 1 |
| Red-rumped Swallow | Cecropis daurica | 23-01 5 ex. in a flock sitting in a small tree at a stop near a forest edge. | 1 |
| *Lesser Striped Swallow | Cecropis abyssinica | 22-01 1 ex, in a big flock of hirundine at QENP, + a total of 7 ex, at the boat trips at the swamps near Entebbe. | Less than annual V. Arab. |
| Red-breasted Swallow | Cecropis semirufa | A total of 14 seen spread over the trip, very much like Red-rumped but plainer and more intense coloured on the underp. | |
| African Blue Flycatcher | Elminia longicauda | 28-01 2 ex. in a small patch of forest at Mt Elgon | |
| White-bellied Tit | Parus albiventris | 28-01 Lex. in a small patch of forest near Mt Elgon | |
| Common Bulbul | Pycnonotus barbatus | Quite common thoughout the trip | I |
| Slender-billed Greenbul | Andropadus gracilirostris | 28-01 1 ex. seen feeding in a small patch of forest at Mt Elgon. | |
| | - | | - |

| Willow Warbler | Phylloscopus trochilus | 22-01 1 ex. at QENP + 28-01 1 ex. at Mt Elgon, quite grey birds. | |
|--|--|--|--------------------------|
| Eastern Olivaceous Warbler | Hippolais pallida | A total of 4 birds seen spread over the trip and therefore the most common palearctic winter bird of the trip | |
| Moustached Warbler | Melocichla mentalis | A total of 3 seen spread over several days. Often found on song. A big warbler. | |
| Sedge Warbler | Acrocephalus schoenobaenu | 22-01 10 ex. singeng along the river at QENP | |
| African Reed Warbler | Acrocephalus baeticatus | 22-01 5 ex. seen well along the river at QENP. A slow moving quite grey small acro, quite different from Eurasian. | |
| Marsh Warbler | Acrocephalus palustris | 24-01 2 ex. seen very well (long wings with tips at primaries) at the entrance of M.P. Great to see them here. | |
| Greater Swamp-Warbler | Acrocephalus rufescens | 21-01 1 ex. seen while getting in the boat at Mabamba Swamp. Big long tailed. | |
| Black-throated Apalis | Apalis jacksoni | 28-01 ex. together in a small patch of forest near Mt Elgon. Very nice birds to see. | |
| | | | |
| Buff-throated Apalis | Apalis rufogularis | 28-01 3 ex. in a small patch of forest near Mt Elgon | |
| Green-backed Camaroptera | Camaroptera brachyura | 24-01 1 ex. in the hand of one of the bird binders at M.P + 28-01 1 ex. at a small patch of forest near Mt Elgon | |
| Rattling Cisticola | Cisticola chiniana | Common in the north mostly near Moroto and surroundings. | |
| Winding Cisticola | Cisticola marginatus | Common in the marshes in the south (Entebbe, Mabamba) | |
| Carruthers's Cisticola | Cisticola carruthersi | 30-03 3 ex. in the marshes near Entebbe. | |
| Croaking Cisticola | Cisticola natalensis | 22-01 1 ex. found on song at QENP + 26-01 common at Kidepo | |
| Foxy Cisticola | Cisticola troglodytes | 26-01 6 ex. feeding on the road! at Kidepo, all together, nice views off this easy to ID cisticola | |
| Zitting Cisticola | Cisticola juncidis | 22-01 10 ex. at QENP. | |
| Blackcap | Sylvia atricapilla | 28-01 1 male at a small patch of forest near Mt Elgon. Strange to see it in these surroundings. | |
| | | 2001 Thinke at a small patch of lotest near Mit Eight. Strange to see it in these surfoundings. | |
| Buff-bellied Warbler | Phyllolais pulchella | 26-01 2 ex. at Kidepo behind Apoka lodge, a nondescript prinia like warbler. | |
| White-browed Crombec | Sylvietta leucophrys | 28-01 1 ex. seen very well in a small patch of forest near Mt Elgon. | |
| Northern Crombec | Sylvietta brachyura | Quite common often in pairs spread over the trip | |
| Red-faced Crombec | Sylvietta whytii | 27-01 1 ex. at a broken car stop near Moroto. | |
| Silverbird | Empidornis semipartitus | Quite commonly seen spread over the trip, often solitaire. | |
| Pale Flycatcher | Bradornis pallidus | 27-01 2 ex. at a broken car stop near Moroto. A big flycatcher. | |
| White-eyed Slaty Flycatcher | Dioptrornis fischeri | 28-01 1 ex. in a mall patch of forest near Mt Elgon. Evering bird | |
| Northern Black Flycatcher | Melaenornis edolioides | 22-01 1 ex. at QENP a big flycatcher, loves open bushy area's | |
| *Gambaga Flycatcher | Muscicapa gambagae | 22-01 res. at Certification and the set of t | Summer Br. Yemen + S.Ar |
| Swamp Flycatcher | Muscicapa gambagae Muscicapa aquatica | 24-01 i seen wenning a recently ourned open area at M.P (near the lodge). Smail, short blied Spotled Prycatcher, see dig. Common in the southern Marshes but absent in the north. | Sammer Dr. Temen + S.Al |
| | | | |
| African Dusky Flycatcher | Muscicapa adusta | 1 ex. seen very well in a small patch of forest near Mt Elgon. | |
| White-browed Robin-Chat | Cossypha heuglini | A total of 4 seen at scrub places visited in the trip, more heard than seen. | |
| Spotted Morning-Thrush | Garrulax ocellatus | 24-01 1 ex. seen very well behind the lodge of M.P. | |
| Brown-backed Scrub-Robin | Cercotrichas hartlaubi | 23-01 1 ex. along the way coming out of a small patch of forest in song. | |
| White-browed Scrub-Robin | Cercotrichas leucophrys | 26-01 1 ex. at Kidepo + 28-01 1 ex. in the scope at Moroto. | |
| Northern Wheatear | Oenanthe oenanthe | Common in the north and there seen daily | |
| Western Black-eared Wheatear | Oenanthe hispanica | 26-1 1 female at Kidepo. Seen at close range. A small pied like wheatear with a very warm beige coloured mantle. New for the guide | |
| Pied Wheatear | Oenanthe pleschanka | 26-01 1 male behind Apoka lodge, great views and digi's | |
| Capped Wheatear | Oenanthe pleata | 22-01 1 male giving great views at QENP. A big wheatear. It supposed to be a vagrant in Uganda? | |
| Capped Wheatean | | | |
| Isabelline Wheatear | Oenanthe isabellina | Quite common in the north, less than Northern. | |
| Whinchat | Saxicola rubetra | The most common bird of the trip in the open aea's with scattered bushes. | |
| African Stonechat | Saxicola torquatus | 30-01 1 nice male at one of the swamps near Entebbe | |
| Sooty Chat | Myrmecocichla nigra | A total of 7 birds seen spread over the trip | |
| Mocking Cliff-Chat | Thamnolaea cinnamomeiven | 23-01 1 male at Kidepo while we searched in vain for Verreaux's Eagle. | |
| African Thrush | Turdus pelios | A total of 5 seen spread over the trip | |
| Rufous Chatterer | Turdoides rubiginosa | 28-01 4 ex. in one family flock at Moroto in the early morning. Noisy birds | |
| Black-lored Babbler | Turdoides sharpei | 22-01 5 ex in one family flock at QENP | |
| African Yellow White-eye | Zosterops senegalensis | 22-01 Sex at a small patch of forest near Mt Elgon. | 1 |
| *Wattled Starling | Creatophora cinerea | 26-01 15 ex. in one flock coming into drink in the evening at Kidepo + 27-01 9 there and near Moroto. One male with wattles | Rain migrant Arabia |
| | | | Kain nigrant Arabia |
| Greater Blue-eared Starling | Lamprotornis chalybaeus | Common in the north of Uganda | |
| Lesser Blue-eared Starling | Lamprotornis chloropterus | 23-01 1 ex. at M.P + 26-0110 ex. at Kidepo. | |
| Rüppell's Starling | Lamprotornis purpuroptera | The common starling in the south. | |
| Superb Starling | Lamprotornis superbus | The common starling in the north. | |
| *Violet-backed Starling Red-winged Starling | Cinnyricinclus leucogaster | 24-01 15 ex. in a small flock in flight going to a roost at M.P. + 25-01 2 ex. seen very well in a tree (1 nice m.) along the way | Rain migrant Arabia |
| Red-winged Starling | Onychognathus morio | 26-01 6 ex. at Kidepo in one flock at a hillside (with rocks). | |
| *Red-billed Oxpecker | Buphagus erythrorhynchus | 26-01 10 ex. from Apoka lodge at Kidepo on the backs of waterbuffelo. | Vagrant Yemen |
| Yellow-billed Oxpecker | Buphagus africanus | Common in the south of Uganda. | |
| Eastern Violet-backed Sunbird | Anthreptes orientalis | 27-01 2 ex. seen near Moroto while waiting for the car repair. ID on geographical place in the country | 1 |
| | | | |
| Pygmy Sunbird | Hedydipna platura | 26-011 ex. seen in flight (unmistakable) along the way | |
| Green-headed Sunbird | Cyanomitra verticalis | 28-01 1 ex. in the small patch of forest at Moroto | |
| Scarlet-chested Sunbird | Chalcomitra senegalensis | The commonest sunbird recorded at the trip in the southern parts of Uganda. | |
| Bronze Sunbird | Nectarinia kilimensis | 28-01 1 ex. seen in the small patch of forest at Moroto | |
| Northern Double-collared Sunbird | Cinnyris reichenowi | 28-01 1 male at Moroto on an early birdwalk. | |
| Beautiful Sunbird | Cinnyris pulchellus | 24-01 1 ex. along the river while waiting for the boat at M.P. | |
| Mariqua Sunbird | Trichoglossus capistratus | 28-01 2 ex. at Moroto on an early birdwalk | |
| Western Yellow Wagtail | Eopsaltria griseogularis | Common in th lowlands subsp seen: flava/beema?(c), thunbergi (c), cinereocapilla/pygmaea (at leat two birds) | |
| White Wagtail | Motacilla alba | 28-01 1 ex. in front of a house along the way, seems to be rare this far south? | |
| *African Pied Wagtail | Motacilla aguimp | Very common spread over the trip, mostly in pairs | Rare breeder Egypt |
| *African (Graceland) Binit | Anthus cinnamomeus | 21+22-01 3 ex. in and near QENP + 30-01 1 ex. near Entebbe, like a small Richards with buff underparts. | Breeding bird Yemen +S.A |
| *African (Grassland) Pipit Tree Pipit | Anthus trivialis | 21122 of a characterized and the state of th | breeding bird Temen +5.A |
| | | 28-01 7 ex. in two small flocks at Moroto, feeding in the garden of the hostel | |
| Red-throated Pipit | Anthus cervinus | 27-01 3 ex. at two little ponds at Kidepo. Mainly heard. | |
| Yellow-throated Longclaw | Macronyx croceus | Quite common in the south (QENP) in savannah area's | |
| Cinnamon-breasted Bunting | Emberiza tahapisi | 22-01 15 ex. in small flocks at QENP. Good views of one of my favourite family of birds | |
| Golden-breasted Bunting | Emberiza flaviventris | 28-01 1 ex. seen very well in the scope behind Moroto. I whish it was Holarctic so beautiful | |
| White-rumped Seedeater | Calidris fuscicollis | 26-01 5 ex. at Apoka lodge at Kidepo | |
| Yellow-rumped Seedeater | Serinus reichenowi | 28-01 5 ex. at Moroto. One small flock. | |
| Yellow-fronted Canary | Crithagra mozambica | 22-01 2 ex. at QENP. | 1 |
| African Citril | Crithagra citrinelloides | 22-01 2 eX. at a little patch of forest near Mt Elgon | 1 |
| | Crithagra culleburges | 22 01 Fox in a transformed mode of a small patient of forest plana the wey. Bis server | 1 |
| Brimstone Canary | Crithagra sulphurata | 23-01 1 ex, in a tree at the edge of a small patch of forest along the way. Big canary | |
| House Sparrow | Passer domesticus | Small numbers seen in quite a few villages. | |
| Grey-headed Sparrow | Lonchura griseicapilla | The commonest sparrow recorded during the trip. | |
| Yellow-spotted Petronia | Gymnoris pyrgita | 26-01 2 ex. at Kidepo + 28-01 1 ex. at Moroto | |
| White-billed Buffalo-Weaver | Bubalornis albirostris | 26-01 20 ex. at Kidepo in one flock on the early morning drive. | |
| White-headed Buffalo-Weaver | Dinemellia dinemelli | A total of 18 birds seen on three days in the north (Kidepo). Obvious birds with there red vents. | |
| - | - | | - |

| Speckle-fronted Weaver | Sporopipes frontalis | Common in M.P. and Kidepo in small flocks | |
|---------------------------------|----------------------------|---|--|
| White-browed Sparrow-Weaver | Plocepasser mahali | Common at Kidepo in small flocks | |
| Chestnut-crowned Sparrow-Weaver | Plocepasser superciliosus | 23-01 1 ex. seen well along the way | |
| Grey-headed Social-Weaver | Lonchura griseicapilla | 26-01 10 ex. in one flock on the road at Kidepo. One of the nonholarctic birds of the trip, very nice and estrid like. | |
| Red-headed Weaver | Anaplectes melanotis | 26-01 2 ex. at Kidepo ssp: leuconotus with a white belly. | |
| Baglafecht Weaver | Ploceus baglafecht | 21-01 1 ex. seen quite well (yellow eye) at Kaku swamp | |
| Little Weaver | Ploceus luteolus | 24-01 common at the river at M.P. | |
| Slender-billed Weaver | Ploceus pelzelni | 22-01 20 ex. together in a flock at QENP along the river, some summer plumage birds | |
| Black-necked Weaver | Ploceus nigricollis | 28-01 4 ex. in a small patch of forest near Mt Elgon | |
| Black-billed Weaver | Ploceus melanogaster | 28-01 3 ex. together in a small patch of forest near Mt Elgon | |
| Northern Brown-throated Weaver | Ploceus castanops | 30-01 5 ex. at the two swamps visited near Entebbe. | |
| Vieillot's Weaver | Ploceus nigerrimus | 30-01 1 ex. along the way between the two swamps visited. | |
| Village Weaver | Ploceus cucullatus | Common around and in QENP | |
| Weyns's Weaver | Ploceus weynsi | 21-01 15 ex. in one flock flighing over Kaku swamp. | |
| Yellow-backed Weaver | Ploceus melanocephalus | Common at Kaku swamp and a few at QENP | |
| Golden-backed Weaver | Ploceus jacksoni | Common at Kaku swamp. | |
| Cadinal Quelea | Quelea cardinalis | 26-01 common at Kidepo, with red heads on the males | |
| Red-billed Quelea | Quelea quelea | Common at Kaku and QENP. | |
| White-winged Widowbird | Euplectes albonotatus | 22-01 3 ex. at QENP, with a quite short tail | |
| Fan-tailed Widowbird | Euplectes axillaris | 21-01 4 ex. along the way to QENP | |
| Pale-fronted Negrofinch | Notiochelidon flavipes | 28-01 5 ex. seen very well (great birds) at a forest near Mt Elgon | |
| Common Waxbill | Estrilda astrild | 21-01 5 ex. in one flock along the way (close to Kaku swamp), finally after all the introduced ones a countable record. | |
| Black-crowned Waxbill | Estrilda nonnula | 21-01 8 ex. at Kaku swamp + 28-01 4 ex. at a small forest near Mt Elgon. | |
| Black-faced Waxbill | Estrilda erythronotos | 21-01 2 ex. at Kaku swamp, great to see my former cage birds in the field | |
| Black-cheeked Waxbill | Estrilda charmosyna | 28-01 2 ex. at Moroto during the early morning walk | |
| Red-cheeked Cordonbleu | Cossypha natalensis | The commonest waxbill of the trip, more common in the north. | |
| Purple Grenadier | Uraeginthus ianthinogaster | 26-01 6 ex. (some males) seen well at Kidepo. Also a foremer popular cagebird for me. | |
| Red-billed Fire Finch | Lagonosticta senegala | The second most commonest waxbill of the trip, often near water. | |
| Bar-breasted Fire-Finch | Lagonosticta rufopicta | 24-01 30 ex. in several flocks at M.P. | |
| Jameson's Fire-Finch | Lagonosticta rhodopareia | 28-01 15 ex. at the lodge where we spent the night at Mt Elgon | |
| Bronze Mannikin | Lonchura cucullata | Quite common in the south of the country | |
| Pin-tailed Whydah | Vidua macroura | 22-01 50 ex. in a big flock (with some males in breeding plumage but with short tales) at QENP | |
| Village Indigobird | Vidua chalybeata | 30-01 1 male seen along the way in a tree. | |
| | | | |

MAMMALS

Guereza Colobus *Colobus guereza* – 1 seen along the way

Olive Baboon Papio anubis – Seen in small numbers spread over the trip in the lowlands.

Patas Monkey Cercopithecus patas – Seen in small numbers in the north (Kidepo)

Uganda Grass Hare *Poelagus marjorita* - Small numbers were seen during our night-drive in Murchison Falls National Park.

Common Jackal Canis aureus – 1 at Apoka lodge Kidepo

Swamp Otter Aonyx congica - 2 seen at a swamp near Enthebbe

White-tailed Mongoose Ichneumia albicauda: One was seen at night at Kidepo.

<u>Spotted Hyena</u> Crocuta crocuta – 1 seen very well at Kidepo near Apoka lodge coming from the night drive.

<u>**Common Genet**</u> Genetta genetta – 2 seen on a (dark) early morning walk behind one of the lodges at M.P. One in a tree and one on the ground. The spots get bigger to the back of the animal.

Lion Panthera leo – A total of 6 seen at QENP (1), M.P (3) and Kidepo (2 at night) all but one females and one immature male.

Rock Hyrax Dendrohyrax johnstoni – Seen at a few rocky places in the north.

African Elephant Loxodonta Africana - Reasonable numbers of these leviathans were seen in Murchison Falls but there were more in Queen Elizabeth National Park and a few at Kidepo

Common Zebra Equus quagga - Small numbers at Kidepo

Hippopotamus *Hippopotamus amphibious* - Uganda has to be THE place to see these amazing animals with hundreds and hundreds lining the waterways, and often rather close to the boats!

Common Warthog *Phacochoerus africanus* - Quite commonly seen at al three parks. **Bush Pig** – Potamochoerus larvatus - A small flock on the southern shore at M.P.

Rothschild's Giraffe *Giraffa (camelopardalis) rothschildi* - Good numbers, including some very attractively marked individuals, were counted on the north bank of the Nile in Murchison Falls National Park. A recent paper *Extensive Population Genetic Structure in the* Giraffe by David M. Brown *et al.* that there should be as many as six separate species. The animals in Uganda would be split as Rothschild's Giraffe *G. rothschildi*.

African Buffalo Syncerus caffer - Easily seen in Murchison Falls, Queen Elizabeth and Kidepo

Bushbuck *Tragelaphus scriptus* - A delicate and attractive antelope that was seen well in small numbers in Murchison Falls, Queen Elizabeth N.P.

Bush Duiker Sylvicapra grimmia – Quite common in Kidepo also some at rocky area's considered different according to my guide.

Oribi *Ourebia ourebi* - A medium sized antelope that is particularly common in the grasslands on the north bank of the Nile in Murchison Falls National Park and Kidepo **Kob** *Kobus kob* - The race concerned is known as Uganda Kob *K. k. thomasi.* Many were seen in Murchison Falls and Queen Elizabeth National Parks

Waterbuck *Kobus ellipsiprymnus* - The race concerned is Defassa Waterbuck *K. e. defassa*. Good numbers in Murchison Falls, Queen Elizabeth and Kidepo.

Topi *Damaliscus lunatus* - This strange antelope with goat-like eyes was seen at Kidepo. The subspecies concerned is *D. I. jimela*.

Kongoni *Alcelaphus buselaphus* – A few where seen north of the Nile in Murchison Falls National Park the local race is known as Lelwel *A. b. lelwel*.
